

HAWKER ENERGY PRODUCTS (GATES -- SEALED LEAD BATTERY CYCLON, GENESIS, OR HAWKE

=====  
MSDS Safety Information  
=====

FSC: 6135

NIIN: 01-131-7064

MSDS Date: 06/01/1998

MSDS Num: CKSVR

Product ID: SEALED LEAD BATTERY CYCLON, GENESIS, OR HAWKER XT

MFN: 01

Article: Y

Responsible Party

Cage: 0WY95

Name: HAWKER ENERGY PRODUCTS INC (GATES E  
ENERGY PRODUCTS, INC)

Address: 617 NORTH RIDGEVIEW DR

City: WARRENSBURG MO 64093-9301

Info Phone Number: 800-964-2837

Emergency Phone Number: 660-429-2165

Published: Y  
=====

Contractor Summary  
=====

Cage: 0WY95

Name: HAWKER ENERGY PRODUCTS INC

Address: 617 NORTH RIDGEVIEW DR

City: WARRENSBURG MO 64093

Phone: 660-429-7528 / 800-964-2837  
=====

Item D  
Description Information  
=====

Item Manager: S9G

Item Name: BATTERY ASSEMBLY

Unit of Issue: EA

UI Container Qty: 1  
=====

Regulated Components  
=====

Regulated Component Name: LEAD DIOXIDE

CAS: 1309-60-0

Percent Text: 15-25%

Regulated Component Name: SULFURIC ACID ELECTROLYTE

CAS: 7664-93-9

Percent Text: 15-20%

Regulated Component Name: NON-HAZARDOUS

MATERIALS

Percent Text: 5-10%

Regulated Component Name: LEAD

CAS: 7439-92-1

Percent Text: 45-69%

Health Hazards Data

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

First Aid: BATTERY CONTAINS ACID ELECTROLYTE WHICH IS ABSORBED IN THE SEPARATOR MATERIAL. IF BATTERY CASE IS PINCTURED, COMPLETELY FLUSH ANY RELEASED MATERIAL FROM SKIN OR EYES WITH WATER.

Handling and Disposal

Spill Release Procedures: AVOID CONTACT WITH ACID MATERIALS. USE SODA ASH OR LIME TO NEUTRALIZE. FLUSH WITH WATER

Neutralizing Agent: USE SODA ASH OR LIME TO NEUTRALIZE

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, & LOCAL REGULATIONS. DO NOT INCINERATE. BATTERIES SHOULD BE SHIPPED TO A RECLAMATION FACILITY FOR RECOVERY OF THE METAL AND PLASTIC C

OMPONENTS AS THE PROPER METHOD OF WASTE MANAGEMENT. CONTACT DISTRUBUTOR FOR APPROPRIATE PRODUCT RETURN PROCEDURE.

Fire and Explosion Hazard Information

Extinguishing Media: MULTIPURPOSE DRY CHEMICAL, CO2, OR WATER SPRAY.

Fire Fighting Procedures: COOL BATTERY EXTERIOR TO PREVENT RUPTURE. AACID MISTS AND VAPORS IN A FIRE ARE TOXIC AND CORROSIVE.

Unusual Fire/Explosion Hazard: HYDROGEN GAS MAY BE PRODUCED AND MAY EXPLODE IF IGNITED. REMOVE ALL SOURCES OF IGNITION.

Control Measures

Physical/Chemical Properties

HCC: Z4

Reactivity Data

St

ability Indicator: YES

Stability Condition To Avoid: AVOID SHORTING. AVOID OVER-CHARGING. USE ONLY APPROVED CHARGING METHODS. DO NOT CHARGE IN GAS TIGHT CONTAINERS.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

MS

DS Transport Information  
=====

Transport Information: HAWKER ENERGY PRODUCTS INC. BATTERIES ARE STARVED ELECTROLYTE BATTERIES WHICH MEANS THE ELECTROLYTE IS ABSORBED IN THE SEPARATOR MATERIAL. THE BATTERIES ARE ALSO SEALED. AS OF SEPTEMBER 30, 1995, HAWKER ENERGY PRODUCTS INC. BATTERIES WERE CLASSIFIED AS "NONSPILLABLE BATTERIES," AND AS SUCH ARE NOT SUBJECT TO THE FULL REQUIREMENTS OF 49 CFR 173-159. HAWKER ENERGY PRODUCTS INC. BATTERIES HAVE BEEN TESTED AND DETERMINED TO BE IN COMPLIANCE WITH THE VIBRATION & PRESSURE DIFFERENTIAL TESTS CONTAINED IN 49 CFR 173.159(D).

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 0WY95  
Trans ID NO: 154589  
Product ID: SEALED LEAD BATTERY CYCLON, GENESIS, OR HAWKER XT  
MSDS Prepared Date: 06/01/1998  
Review Date: 08/31/2000  
MFN: 1  
Multiple KIT Number: 0  
Unit Of Issue: EA  
Container QTY: 1

=====  
Detail DOT Information  
=====

DOT PSN Code: BQR  
DOT Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE  
DOT

PSN Modifier: ELECTRIC STORAGE

Hazard Class: 8

UN ID Num: UN2800

DOT Packaging Group: III

Label: CORROSIVE

Non Bulk Pack: 159

Bulk Pack: 159

Max Qty Pass: NO LIMIT

Max Qty Cargo: NO LIMIT

Vessel Stow Req: A

=====  
Detail IMO Information  
=====

IMO PSN Code: BWG

IMO Proper Shipping Name: BATTERIES,WET,NON-SPILLABLE

IMO PSN Modifier: ELECTRIC STORAGE

IMDG Page Number: 8121

UN Number: 2800

UN Hazard C

lass: 8\*

IMO Packaging Group: III

Subsidiary Risk Label: -

EMS Number: 8-10

MED First Aid Guide NUM: NON

=====  
Detail IATA Information  
=====

IATA PSN Code: DAB

IATA UN ID Num: 2800

IATA Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE

IATA PSN Modifier: , ELECTRIC STORAGE +

IATA UN Class: 8

IATA Label: CORROSIVE

UN Packing Group: III

Packing Note Passenger: 806

Max Quant Pass: NO LIMIT

Max Qua

nt Cargo: NO LIMIT

Packaging Note Cargo: 806

Exceptions: A48, A67

=====  
Detail AFI Information  
=====

AFI PSN Code: DAB

AFI Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE

AFI PSN Modifier: , ELECTRIC STORAGE

AFI Hazard Class: 8

AFI UN ID NUM: UN2800

AFI Packing Group: III

Special Provisions: P5

Back Pack Reference: A12.5

=====  
HAZCOM Label  
=====  
==

=====  
Product ID: SEALED LEAD BATTERY CYCLON, GENESIS, OR HAWKER XT

Cage: 0WY95

Company Name: HAWKER ENERGY PRODUCTS INC

Street: 617 NORTH RIDGEVIEW DR

City: WARRENSBURG MO

Zipcode: 64093

Health Emergency Phone: 660-429-2165

Label Required IND: Y

Date Of Label Review: 08/31/2000

Status Code: A

Origination Code: F

Signal Word: NONE

Health Hazard: None

Contact Hazard: None

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGAN

S: N/P. THE HAWKER SEALED LEAD ACID

BATTERY IS DETERMINED TO BE AN "ARTICLE" ACCORDING TO THE OSHA HAZARD COMMUNICATION STANDARD AND IS THEREBY EXCLUDED FROM ANY REQUIREMENTS OF THE STANDARD.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, st

ates, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.