Product ID:AKF 1, AKF 5, AKF 55, ALKI-FOAM MSDS Date:09/27/1996 FSC:6850 NIIN:01-304-0059 Status Code:A MSDS Number: CKVRJ === Responsible Party === Company Name: VIRGINIA K M P CORPORATION Address:4100 PLATINUM WAY City:DALLAS State:TX ZIP:75237 Country:US Info Phone Num:214-330-773 1 Emergency Phone Num:800-424-9300(CHEMTREC) Preparer's Name: VIGINIA KMP CORPORATION Chemtrec Ind/Phone:(800)424-9300 **CAGE:8J132** === Contractor Identification === Company Name: TIDEWATER ELECTRIC MOTOR CO INC, DBA JOHNSTONE SUPPLY Address:403 S. WITCHDUCK RD **Box:UNKNOW City:VIGINIA BEACH** State:VA ZIP:23462-3633 Country:US Phone:757-499-6600 Contract Num:SP0450-01-M-D159 CAGE:9W485 Company Name: VIRGINIA K M P CORPORATION Address:4100 PLATINUM WAY Box:City:DALLAS State:TX ZIP:75237 Country:US Phone

:214-330-7731 CAGE:8J132 Ingred Name:SODIUM HYDROXIDE (CERCLA) CAS:1310-73-2 RTECS #:WB4900000 Other REC Limits:NONE RECOMMENDED OSHA PEL:C 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9495 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS LD50 LC50 Mixture:ORAL (RAT) LDLO= 500 MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IA RC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: INHALATION: VAPORS OR MISTS IS CORROSIVE TO RESPIRATORY TRACT. EYE CONTACT: LIQUID OR VAPORS ARE CORROSIVE TO EYES. SKIN CONTACT: LIQUID OR VAPORS ARE CORROSIVE TO SKIN. INGESTION: TOXIC. MAY CAUSE SEVERE DAMAGE, PERFORATION, AND SCARRING OF GASTROINTESTINAL TRACT. CHRONIC EFFECTS: CHEMICAL PNEUMONITIS. EMERGENCY OVERVIEW: DANGER! CORROSIVE TO ALL BODY TISSUES. AVOID CONTACT WITH SKIN OR EY ES. HARMFUL IF INHALED OR SWALLOWED. Explanation of Carcinogenicity:NOT LISTED BY NTP, IARC; NOT REGULATED BY OSHA AS A CARCINOGEN. Effects of Overexposure: INHALATION: RESPIRATORY TRACT IRRITATION, CHEMICAL PNEUMONITIS. EYES: CORROSION. SKIN: CORROSION. INGESTION: TOXIC. GASTROINTESTINAL TRACT DAMAGE, PERFORATION, SCARRING. First Aid:INHALATION: REMOVE VICTIM TO FRESH AIR AND, IF NEEDED, **IMMEDIATELY BEGIN ARTIFICIAL RESPIRATION. GIV** E OXYGEN IF BREATHING IS LABORED. GET EMERGENCY MEDICAL HELP. CONTACT A PHYSICIAN IMMEDIATELY. EYE C ONTACT: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF SYMPTOMS DEVELOP AND PERSIST. SKIN CONTACT: FLUSH WITH WATER OR SOAP AND WATER FOR 15 MINUTES OR UNTIL ALL TRACES HAVE BEEN REMOVED. SEEK MEDICAL ATTENTION IF SYMPTOMS DEVELOP AND PERSIST. INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

======================== Fire Fighting Measures

Flash Point:NONE Extinguishing Media:DRY POWDER, CARBON DIOXIDE, WATER FOG OR SPRAY. Fire Fighting Procedures:APPROACH FIRE FORM UPWIND SIDE. AVOID BREATHING SMOKE, FUMES, MIST, OR VAPORS ON THE DOWNWIND SIDE. FIREFIGHTERS WEAR PROTECTIVE CLOTHING AND SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:SMOKE, TOXIC FUMES OF SODIUM MONOXIDE, SULFUR OXIDES, CARBON MONOXIDE, CARBON DIOXIDE.

====== Accidental Release Measures =====

Spill Release Procedures:LAND SPILL: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER, AT LEAST 10 PARTS WATER TO 1 PART CLEANER. LARGE SPILLS: PICK UP WITH ABSORBENT MEDIA, VACUUM TRUCK OR PUMP. PLACE IN NON-LEAKING CONTAINERS FOR PROPER DISPOSAL OR SALVAGE. NOTIFY PROPER LOCAL, STATE, AND FEDERAL AUTHORITIES. WATER SPILL: NOTIFY PROPER AUTHORITIES. CLEAN UP ALL LEAKS/ SPILLS IMMEDIATELY TO PREVENT SOIL OR WATER CONTAMINATION.

====== Handling an

Handling and Storage Precautions: AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. AFTER HANDLING THIS PRODUCT, WASH HANDS BEFORE EATING, DRINKING, OR SMOKING. IF CONTACT OCCURS, REMOVE CONTAMINATED CLOTHING. IF NEEDED, TAKE FIRST AID ACT ION. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. STORE AWAY FROM STRONG ACIDS, ACIDIC MATERIALS.

Other Precautions: CLEAN UP LEAKS/SPILLS IMMEDIATELY TO PREVENT SOIL OR WATER CONTAMINATION.

Respiratory Protection: USE NIOSH-APPROVED RESPIRATOR IF TLV IS EXCEEDED.

Ventilation:LOCAL EXHAUST VENTILATION RECOMMENDED.

Protective Gloves:WEAR CHEMICAL IMPERVIOUS GLOVES AS NEEDED FOR PROTECTION AGAINST SKIN EXPOSURE.

Eye Protection:WEAR FULL FACE SHIELD AS NEEDED FOR PROTECTION AGAINST SPLASHING.

Other Protective Equipment: USE BOOTS, APRONS AS NEEDED. PROVIDE EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:WAS

H THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health

HCC:B1 Boiling Pt:=100.C, 212.F Melt/Freeze Pt:M.P/F.P Text:N/D Vapor Pres:N/D Vapor Density:>1 Spec Gravity:1.2 pH:13.5-14.0 Evaporation Rate & amp; Reference: