View NSN Online: https://aerobasegroup.ae/nsn/6850-01-436-3668

DINOL U.S., INC. -- DINITROL AV 30 \_\_\_\_\_ **MSDS Safety Information** \_\_\_\_\_ FSC: 6850 NIIN: 01-436-3668 MSDS Date: 02/11/1999 MSDS Num: CKVSC Product ID: DINITROL AV 30 MFN: 01 **Responsible Party** Cage: 0L040 Name: DINOL U.S., INC. Address: 14826 NE 95TH STREET City: REDMOND WA 98052 Info Phone N umber: 425-556-5114/800-331-4304 Emergency Phone Number: +46-8337043 \_\_\_\_\_\_ Item Description Information \_\_\_\_\_ Item Manager: S9G Item Name: WATER-DISPLACING COMPOUND Specification Number: NONE Type/Grade/Class: NONE Unit of Issue: BX Quantitative Expression: 0000000012EA UI Container Qty: 1 Type of Container: AEROSOL CAN \_\_\_\_\_ Ingredients ====== \_\_\_\_\_ Name: \*\*\* PROPRIETARY \*\*\* -----\_\_\_\_\_ Health Hazards Data \_\_\_\_\_ Route Of Entry Inds - Inhalation: YES Skin: YES Ingestion: YES Carcinogenicity Inds - NTP: NO IARC: NO **OSHA: NO** Effects of Exposure: EFFECTS OF OVEREXPOSURE: INHALATION: IN HIGH CONCENTRATION HEADACHE, DIZZINESS, TIREDNESS, IRRITATION ON EYES AND RESPIRATORY

TRACTS.

SKIN CONTACT: IRRITATION MAY CAUSE REDDENING AND CHAFFING. EYE CON TACT: IRRITATING BUT DO NOT DAMAGE THE EYE TISSUE. INGESTION: SMALL AMOUNTS OF PRODUCT WHICH REACH THE RESPIRATORY TRACTS BY INGESTION OR VOMITING MAY CAUSE PNEUMONA.

Signs And Symptions Of Overexposure: INHALATION: IN HIGH CONCENTRATION HEADACHE, DIZZINESS, TIREDNESS, IRRITATION ON EYES AND RESPIRATORY TRACTS. SKIN CONTACT: IRRITATION MAY CAUSE REDDENING AND CHAFFING. EYE CONTACT: IRRITATING BUT DO N OT DAM

AGE THE EYE TISSUE.

First Aid: INHALATION: FRESH AIR AND REST. SKIN CONTACT: REMOVE SOILED CLOTHES. WASH WITH SOAP AND LOTS OF WATER. IF IRRITATION REMAINS, SEEK MEDICAL ASSISTANCE. EYE CONTACT: RINSE WITH LOTS OF WATER. GET MEDICA L ADVICE IF PROBLEMS REMAIN. INGESTION: AVOID VOMITING. TO HOSPITAL IF MORE THAN INSIGNIFICANT AMOUNT HAVE BEEN INGESTED.

\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_

Spil

I Release Procedures: USE SAND OR OTHER ABSORBING MATERIAL. AVOID GETTING INTO THE SEWAGE. FOLLOW LOCAL REGULATIONS.

Waste Disposal Methods: BURNING UNDER CONTROLLED CONDITIONS. FOLLOW LOCAL REGULATIONS.

Handling And Storage Precautions: NO SPECIAL PROCEDURES.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Method: COC Flash Point: =47.C, 116.6F Lower Limits: 0.6 Upper Limits: 7 Extinguishing Media: FOAM, CO2, DRY POWDER. Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard: MAY FORM EXPLOSIVE MIXTURES WITH AIR WHEN HEATED.

## Control Measures

\_\_\_\_\_

Respiratory Protection: NONE BY NORMAL USE. IF GOOD VENTILATION CANNOT BE PROVIDED USE BREATHING MASK OSHA 112. Ventilation: GENERAL (MECHANICAL) RECOMMENDED. Protective Gloves: CHEMICAL RESISTANT MATERIAL RE COMMENDED. Eve Protection: GLASSES AT RISK OF SPLASHING. Other Protective Equipment: NO DATA PROVIDED BY MANUFACTURER Work Hygienic Practices: NO DATA PROVIDED BY MANUFACTURER Supplemental Safety and Health: THE AEROSOL CONSISTS OF 50% PRODUCT CONCENTRATE AND 50% 134A GAS AS PROPELLANT. \_\_\_\_\_ Physical/Chemical Properties \_\_\_\_\_ HCC: V2 B.P. Text: 140C - 200C M.P/F.P Text: NOT DETERMINED Vapor Pr es: < 7.5 @ 20C/68F Vapor Density: >1 (AIR=1)

Spec Gravity: 0.91 Evaporation Rate & amp; Reference: 0.2 (BUAC=1) Solubility in Water: INSIGNIFIGANT Appearance and Odor: BROWN LIQUID, SLIGHT SMELL Percent Volatiles by Volume: 42

\_\_\_\_\_

Reactivity Data

\_\_\_\_\_

Stability Indicator: YES Stability Condition To Avoid: LOW AND TOO HIGH TEMPERATURES. Materials To Avoid: STRONGLY OXIDIZING SUBSTANCES. Н

azardous Decomposition Products: NONE BY NORMAL USE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR

-

Toxicological Information

\_\_\_\_\_ Toxicological Information: NO DATA PROVIDED BY MANUFACTURER

\_\_\_\_\_

Ecological Information

\_\_\_\_\_

Ecological: NO DATA PR

OVIDED BY MANUFACTURER

\_\_\_\_\_

MSDS Transport Information

Transport Information: IMDG: CLASS: 3:3. PAGE 3321, UN NO. 1139, PACK GR.: II I. (NOTE FROM DLA-: THIS DATA IS FOR BULK PRODUCT NOT AEROSOL).

\_\_\_\_\_

Regulatory Information

\_\_\_\_\_ Sara Title III Information: NO DATA PROVIDED BY MANUFACT

URER Federal Regulatory Information: NO DATA PROVIDED BY MANUFACTURER State Regulatory Information: NO DATA PROVIDED BY MANUFACTURER \_\_\_\_\_ Other Information \_\_\_\_\_ Other Information: NO DATA PROVIDED BY MANUFACTURER \_\_\_\_\_ Transportation Information \_\_\_\_\_ Responsible Party Cage: 0L040 Trans ID NO: 1 55239 Product ID: DINITROL AV 30 MSDS Prepared Date: 02/11/1999 Review Date: 11/03/2000 **MFN: 1** Tech Entry NOS Shipping Nm: ALIPHATIC HYDROCARBON, CYCLOHEXANONE Net Unit Weight: 0.7 LBS/CAN Multiple KIT Number: 0 Unit Of Issue: BX Container QTY: 1 Type Of Container: AEROSOL CAN \_\_\_\_\_ **Detail DOT Information** \_\_\_\_\_ DOT PSN Code: AGC DOT Proper Shipping Name: AEROSOLS, FLAMMABLE, DOT PSN Modifier: (EA CH NOT EXCEEDING 1 L CAPACITY) Hazard Class: 2.1 **UN ID Num: UN1950** Label: FLAMMABLE GAS **Special Provision: N82** Non Bulk Pack: NONE **Bulk Pack: NONE** Max Qty Pass: 75 KG Max Qty Cargo: 150 KG Vessel Stow Reg: A Water/Ship/Other Reg: 40,48,85 \_\_\_\_\_ Detail IMO Information \_\_\_\_\_ IMO PSN Code: AKD IMO Proper Shipping Name: AEROSOLS o IMDG Page Number: 2102 UN Number: 1950 UN Hazard Class: 2(T) IMO Packa

ging Group: -Subsidiary Risk Label: T EMS Number: 2-13 MED First Aid Guide NUM: 620

#### **Detail IATA Information**

IATA PSN Code: ALS IATA UN ID Num: 1950 IATA Proper Shipping Name: AEROSOLS, FLAMMABLE IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY) IATA UN Class: 2.1 IATA Label: FLAMMABLE GAS Packing Note Passenger: 203 Max Quant Pass: 75KG Max Quant Cargo: 150KG Packaging Note Cargo: 203

#### Detail AFI Information

\_\_\_\_\_\_

### AFI PSN Code: ALR

AFI Symbols: \* AFI Proper Shipping Name: AEROSOLS, FLAMMABLE, N.O.S. AFI PSN Modifier: (EACH NOT EXCEEDING 1L CAPACITY) AFI Hazard Class: 2.1 AFI UN ID NUM: UN1950 Special Provisions: P4 Back Pack Reference: A6.3

#### HAZCOM Label

\_\_\_\_\_

### Pr

oduct ID: DINITROL AV 30 Cage: 0L040 Company Name: DINOL U.S., INC. Street: 14826 NE 95TH STREET City: REDMOND WA Zipcode: 98052 Health Emergency Phone: +46-8337043 Label Required IND: Y Date Of Label Review: 11/03/2000 Status Code: A Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: DANGER Respiratory Protection IND: NO Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Severe Reactivity Hazard: None Hazard And Precautions: CONTENTS UNDER PRESSURE! FLAMM

# ABLE! EFFECTS OF

OVEREXPOSURE: INHALATION: IN HIGH CONCENTRATION HEADACHE, DIZZINESS, TIREDNESS, IRRITATION ON EYES AND RESPIRATORY TRACTS. SKIN CONTACT: IRRITATION MAY C AUSE REDDENING AND CHAFFING. EYE CONTACT: IRRITATING BUT DO NOT DAMAGE THE EYE TISSUE. INGESTION: SMALL AMOUNTS OF PRODUCT WHICH REACH THE RESPIRATORY TRACTS BY INGESTION OR VOMITING MAY CAUSE PNEUMON A. TARGET ORGANS: N/P.

\_\_\_\_\_

Disclaimer (provided with this inform

ation by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any perso

n

utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.