

CUMBERLAND-SWAN INC DIV OF PERRIGO CO -- ISOPROPYL ALCOHOL (IPA) -- 6810-00-983-8551

=====
Product Identification
=====

Product ID:ISOPROPYL ALCOHOL (IPA)
MSDS Date:03/01/2000
FSC:6810
NIIN:00-983-8551
Status Code:A
MSDS Number: CKYJF
=== Responsible Party ===
Company Name:CUMBERLAND-SWAN INC DIV OF PERRIGO CO
Address:1 SWAN DR
Box:129
City:SMYRNA
State:TN
ZIP:37167
Country:US
Info Phone Num:615-459-8900
Emergency Phone Num:615-459-8900 EXT. 5270
Preparer's Name:NOT PROVIDED
CAGE:0YRB8
=== Contractor Identification ===
Company Name:CUMBERLAND-SWAN INC DIV OF PERRIGO CO
Address:1 SWAN DR
Box:129
City:SMYRNA
State:TN
ZIP:37167
Country:US
Phone:615-459-8900
CAGE:0YRB8
Company Name:P AND D CREATIVE CO, INC
Address:20140 SCHOLAR DR SUITE 211
Box:City:HAGERSTOWN
State:MD
ZIP:21742
Country:US
Phone:301-797-3503
Contract Num:SP0450-01-M-D612
CAGE:1CVB1

=====
Composition/Information on

Ingredients =====

Ingred Name:ISOPROPYL ALCOHOL
CAS:67-63-0
RTECS #:NT8050000
= Wt:99.
Other REC Limits:NOT PROVIDED
OSHA PEL:980 MG/M3;400 PPM
ACGIH TLV:983 MG/M3;400 PPM
ACGIH STEL:1230 MG/M3;500 PPM

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) 5,840 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALTION: MILD IRRITATIO
N OF EYES,
NOSE AND THROAT. INGESTION: DROWSINESS, HEADACHE. DERMAL CONTACT:
DRY, CRACKING SKIN. ACUTE EFFECTS: IRRITATION OF SKIN AND/OR UPPER
RESPIRATORY TRACT AS NOTED ABOVE. ACUTE CNS DEPRESSION MAY BE
MANIFESTED AS GIDDINESS, HEADACHE, DIZZINESS AND/OR NAUSEA. CHRONIC
EFFECTS: CHRONIC EXPOSURE CAN RESULT IN SKIN IRRITATION AND CONTACT
DERMITITIS.

Explanation of Carcinogenicity:NOT IDENTIFIED AS A CARCINOGEN BY OSHA,
IARC, OR NTP.

Effects of Overexposure:INHALTIO

N: MILD IRRITATION OF EYES, NOSE AND
THROAT. INGESTION: DROWSINESS, HEADACHE. DERMAL CONTACT: DRY,
CRACKING SKIN.

Medical Cond Aggravated by Exposure:PRE-EXISTING DISORDERS OF THE SKIN,
EYES, AND RESPIRATORY TRACT MAY BE EXACERBATED BY EXPOSURE TO
ISOPROPYL ALCOHOL.

===== First Aid Measures =====

First Aid:EYE: FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15
MINUTES. SKIN: FLUSH WITH WATER. IF IRRITATION PERSISTS, SEEK
MEDI

CAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING IF VICTIM IS
UNCONSCIOUS OR DROWSY. SEEK MEDICAL ATTENTION OR CONTACT THE
POISON CONTROL CENTER. INHALTION: REMOVE VICTIM TO FRESH AIR AND
PROVIDE OXYGEN IF BREATHING IS DIFFICULT. SEEK MEDICAL ATTENTION IF
BREATHING CONTINUES TO BE DIFFICULT.

===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:=-11.7C, 53.F
Autoignition Temp:=-398.9C, 750.F
Extinguishing Media:WATER FOG, ALCOHO

L FOAM, DRY CHEMICAL OR CO2.

Fire Fighting Procedures: CLEAR AREA OF UNPROTECTED PERSONNEL. WEAR COMPLETE TURNOUT GEAR. COOL CONTAINERS EXPOSED TO FIRE WITH WATER.
Unusual Fire/Explosion Hazard: CONTAINERS EXPOSED TO INTENSE HEAT FROM FIRES SHOULD BE COOLED WITH LARGE AMOUNT OF WATER TO PREVENT BUILDUP OF INTERNAL PRESSURE DUE TO VAPOR GENERATION WHICH COULD RESULT IN CONTAINER RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures: E

ELIMINATE ALL IGNITION SOURCES. EQUIPMENT MUST BE GROUNDED TO PREVENT SPARKING. EVACUATE AREA OF UNPROTECTED PERSONNEL. CONTAIN SOURCE OF SPILL. DIKE OR OTHERWISE CONFINE SPILLED PRODUCT. UNCONTROLLED RELEASE TO AIR, LAND, OR WATER MAY BE REPORTABLE TO NATIONAL RESPONSE CENTER (800-424-8802). SMALL: TAKE UP WITH ABSORBENT MATERIAL AND PLACE IN NON-SPARKING CONTAINER. SEAL TIGHTLY.

Neutralizing Agent: NOT RELEVANT

===== Handling and Storage =====
=====

Handling and Storage Precautions: STORE IN TIGHTLY CLOSED CONTAINERS IN A COOL, DRY AREA AWAY FROM HEAT AND OTHER POSSIBLE IGNITION SOURCES. USE NON-SPARKING TOOLS TO OPEN CONTAINERS. MAINTAIN APPROPRIATE CLASS OF FIRE EXTINGUISHERS NEARBY IN CASE OF FIRE.

Other Precautions: NOT PROVIDED

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NIOSH APPROVED RESPIRATORY PROTECTION REQUIRED WHEN ABOVE PEL/TWA.

Ventilation: USE EXPLOSION PROOF VENTILATION EQUIPMENT AS NECESSARY TO MAINTAIN CONCENTRATIONS BELOW PEL. GROUND ALL CONTAINERS TO PREVENT STATIC SPARKS.

Protective Gloves: GLOVES

Eye Protection: GOGGLES

Other Protective Equipment: NOT PROVIDED

Work Hygienic Practices: CLEAN PPE AND WORK CLOTHING CONTAMINATED PRIOR TO REUSE. AFTER WORKING, WITH THIS PRODUCT, BE SURE TO WASH BEFORE EATING, SMOKING, DRINKING, OR APPLYING COSMETICS.

Supplemental Safety and Health

TRAIN EMPLOYEES ON THE HAZARD OF ISOPROPYL ALCOHOL

. ABBREVIATION: N/A
= NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED.

===== Physical/Chemical Properties =====

HCC:F2
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:=82.8C, 181.F
Melt/Freeze Pt:=-88.3C, -127.F
Decomp Temp:Decomp Text:NOT PROVIDED
Vapor Pres:33 @ 68F
Spec Gravity:0.790
Viscosity:NOT PROVIDED
Evaporation Rate & Reference:NOT PROVIDED
Solubility in Water:SOLUBLE
Appearance and Odor:COLORLESS, VOLATILE LIQUID WITH THE ODOR OF RUBBING ALCOHOL
Percent Volatiles by Volume:NOT PROVIDED
Corrosion Rate:NOT PROVIDED

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS, ACETALDEHYDE, CHLORINE, ETHYLENE OXIDE, ACIDS, ISOCYANATES
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME. DO NOT STORE IN ALUMINUM > 120 F.
Hazardous Decomposition Products:CO AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED

===== Toxicological Information =====

Toxicological Information:LD50 (ORAL, RAT) 5,840 MG/KG; 13,000 MG/KG (ACUTE DERMAL - RABBIT). LD50 16,000 PPM/8 HR (INHALATION, RAT). MUTAGENICITY: NOT INDICATED. LDL0: 5,000 MG/KG (ORAL - RABBIT). REPRODUCTIVE EFFECTS: NOT INDICATED.

===== Ecological Information =====

Ecological:ECOTOXICITY: N/A. ENVIRONMENTAL FATE: N/A. SOIL ABSORPTION

ION/MOBILITY: HIGHLY MOBILE. ENVIRONMENTAL DEGRADATION:
SHOULD BE REMOVED READILY FROM SOILS AND WATER BY VOLATILIZATION
AND BIODEGRADATION.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT YOUR SUPPLIER OR LICENSED CONTRACTOR FOR
DETAILED RECOMMENDATIONS. FOLLOW APPLICABLE FEDERAL, STATE AND
LOCAL REGULATIONS. CONSIDER FUELS BLENDING AS AN ALTERNATIVE TO
INCINERATION.

===== MSDS Transport Information =====

=====

Transport Information:DOT SHIPPING NAME: ISOPROPANOL. DOT HAZARD CLASS:
3. UN ID NUMBER: UN 1219. DOT PACKING GROUP: I I. DOT LABEL:
FLAMMABLE LIQUID.

===== Regulatory Information =====

SARA Title III Information:CERCLA SUBSTANCE: N/A. HAZARDOUS AIR
POLLUTANT (CAA): NO. SARA 311/312 CODES: N/A. SARA TOXIC CHEMICAL:
YES (STRONG MANUFACTURING ONLY). CERCLA REPORTABLE QUANTITY: 10,000
LBS (DEFAULT).

Federal Regulatory Information
:RCRA HAZARDOUS WASTE NUMBER/
CLASSIFICATION: D001.

State Regulatory Information:NOT PROVIDED

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.