

ELDORADO CHEMICAL COMPANY, INC. -- ELDORADO PR-3400, PAINT REMOVER --
8010-00-348-7716

=====
===== Product Identification =====

Product ID:ELDORADO PR-3400, PAINT REMOVER

MSDS Date:02/02/2000

FSC:8010

NIIN:00-348-7716

Status Code:A

MSDS Number: CKYNP

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Count

ry:US

Info Phone Num:210-653-2060/FX2106530825

Emergency Phone Num:1-800-256-3824

Preparer's Name:HENRY SIMMONS

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====
===== Composition/Information on Ingredients =====

Ingred Name:DICHLOROMETHANE

CAS:75-09-2

RTECS #:PA8050000

= Wt:75.

OSHA PEL:SEE TABLE Z-2

ACGI

H TLV:174 MG/M3;50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ETHANOL
CAS:64-17-5
RTECS #:KQ6300000
= Wt:8.
OSHA PEL:1900 MG/M3;1000 PPM
ACGIH TLV:1880 MG/M3;1000 PPM

Ingred Name:AMMONIUM HYDROXIDE
CAS:1336-21-6
RTECS #:BQ9625000
= Wt:5.
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:METHANOL
CAS:67-56-1
RTECS #:PC1400000
= Wt:2.
OSHA PEL:260 MG/M3;200 PPM
ACGIH TLV:262 MG/M3;200 PPM
ACGIH STEL:328 MG/M3;250 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODI
UM CHROMATE
CAS:7775-11-3
RTECS #:GB2955000
= Wt:.7
OSHA PEL:SEE TABLE Z-2
ACGIH TLV:0.05 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

Health Hazards Acute and Chronic:INHALATION ACUTE: ABSORBED INTO LUNGS INCLUDING NARCOSIS, DIZZINESS, NAUSEA. INHALATION CHRONIC: NO CUMULATIVE EFFECT. SUSPECTED CARCINOGEN BY ANIMAL STUDIES SKIN CONTACT ACUTE: CORROSIVE TO SKIN. WILL CAUSE SCARRING THAT SHOULD DISAPPEAR IN 1

-2 YEARS.SKIN CONTACT CHRONIC: NO CUMULATIVE EFFECT.
SUSPECTED CARCINOGEN BY ANIMAL STUDIES. SKIN ABSORPTION ACUTE: USE
METHOD PRECLUDES POSSIBILITY OF SKIN ABSORPTION HAZARDS.SKIN
ABSORPTIONS CHRONIC: NO EVIDENCE OF SKIN ABSORPTION HAZARD.EYE
CONTACT ACUTE: CORROSIVE TO EYE ON CONTACT. SHORT EXPOSURE WILL
CAUSE HAZY VISION WHICH SHOULD RETURN TO NORMAL .

Medical Cond Aggravated by Exposure:

=====
===== First Aid Measures =====

First Aid:EYE

S: FLUSH WITH WATER FOR AT LEAST 15 MINUTES SKIN: WASH
WITH SOAP AND WATER INHALATION: REMOVE TO FRESH AIR, GIVE OXYGEN
IF NEEDED INGESTION: DO NOT INDUCE VOMITING, CONSULT PHYSICIAN
IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Autoignition Temp:Autoignition Temp Text:>500F

Extinguishing Media:WATER.

Fire Fighting Procedures:SCBA IS REQUIRED.

Unusual Fire/Explosion Hazard:CONTACT WITH FLAME MAY PRODUCE FUMES
ANS/OR PHOSGENE GAS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR
SPILLED: CONTAIN AND CLEAN UP SPILLS WITH ABSORBANT HAZARDOUS
WASTE NO?S: AS IS: THIS PRODUCT HAS A EPA HAZARDOUS WASTE CODE AND
CONTAINS U080 AND U154 MATERIALS CONSULT FEDERAL, STATE AND LOCAL
REGULATORY AGENCIES FOR PROPER DISPOSAL.

=====
===== Handling and Storage =====

Other Precautions:

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:OSHA/NIOSH APPROVED RESPIRATORY PROTECTION

Ventilation:100 FT/MIN

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:GOGGLES AND FACE SHIELD

Other Protective Equipment:RUBBER BOOTS AND RAIN SUITS, FULL WASH RACK
GEAR

Work Hygienic Practices:AVOID SKIN CONTACT, WASH WITH SOAP AND WATER
AFTER USE. DO NOT USE IN A CONFINED SPACE.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

=====

Boiling Pt:=46.1C, 115.F
Vapor Pres:300MMHG@20C
Vapor Density:2
Spec Gravity:1.2
pH:12
Evaporation Rate & Reference:1
Solubility in Water:INSOLUBLE
Appearance and Odor:VISCOUS LIQUID, PUNGENT ODOR
Percent Volatiles by Volume:90

===== Stability and Reactivity Data =====

STRONG OXIDERS, ACIDS, ALKALIS, AND REACTIVE METALS.
Hazardous Decomposition Products:HAZARDOUS DECOMPOSITION PRODUCTS:
CHLORINE FUMES AND/OR PHOSGENE GAS MAYBE PRODUCED DURING
C
OMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any persons
utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.