

PRC-DESOTO INTL, INC. (FORMERLY COURTAULDS AEROSPACE INC) -- MOLDING COMPOUND
RTV662A -- 8030-00-862-5159

=====
===== Product Identification =====

Product ID:MOLDING COMPOUND RTV662A

MSDS Date:07/12/1999

FSC:8030

NIIN:00-862-5159

Status Code:A

Kit Part:Y

MSDS Number: CKZFC

=== Responsible Party ===

Company Name:PRC-DESOTO INTL, INC. (FORMERLY COURTAULDS AEROSPACE INC)

Address:5430 SAN FERNANDO ROAD

Box

:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====
===== Composition/Information on Ingredients =====

Ingred Name:TOLUENE DIISOCYAN

ATE
CAS:000584-84-9
> Wt:25.

Ingred Name: BENZENE ,2,4-DIISOCTANATO-METHYL

Ingred Name: 1,4-BUTANEDIOL
CAS:000110-63-4
< Wt:5.

Ingred Name: POLYOXPROPYLENE GLYCOL
CAS:025322-69-4

=====
===== Hazards Identification =====

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards Acute and Chronic: EYES: ISOCYANATES ARE VERY IRRITATING TO THE EYES. SKIN: ITCHING, RASH, HIVES. REPEATED CONTACT MAY CAUSE SENSITIZATION AND SEVERE DERMATITIS. INHALATION: VAPORS CAN CAUSE BRONCHIAL SPASMS. INGESTION: IRRITATION AND CORROSIVE ACTION IN THE MOUTH, STOMACH TISSUE, AND DIGESTIVE TRACT.
Effects of Overexposure: MILD IRRITATION MAY OCCUR ON CONTACT WITH SKIN AND EYES. IF SWALLOWED, 1,4-BUTANEDIOL IS A DEPRESSANT. SYMPTOMS OF OVEREXPOSURE INCLUDE NARCOSIS AND LOSS OF REFLEXES. KIDNEY DAMAGE HAS BEEN REPORTED FOLLOWING INGESTION.

=====
===== First Aid Measures =====

First Aid: EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES, SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: GIVE MILK OR WATER TO DRINK.

=====
===== Fire Fighting Measures =====

Flash Point Method: CALC
Flash Point: =93.3C, 200.F
Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard: HIGH TEMPERATURE MAY CAUSE PRESSURE

BUILDUP IN CLOSED CONTAINER.

===== Accidental Release Measures =====

Spill Release Procedures:COVER WITH ABSORBENT MATERIAL, ADD DECONTAMINATION SOLUTION AND ALLOW TO REACT FOR 10 MINUTES. COLLECT IN CONTAINERS, ADD ADDITIONAL DECONTAMINATION SOLUTION AND KEEP LOOSELY COVERED FOR 48 HOURS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID MOISTURE CONTAMINATION WHICH WILL CAUSE CARBON DIOXIDE IS SUSPECTED.

Other Precautions:THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE TO BE RELIABLE. HOWEVER, SINCE MUCH OF THE INFORMATION HAS BEEN RECEIVED FROM SOURCES OUTSIDE THE COMPANY, IT IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN HANDLING OR APPLYING IN ANY CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVEL OF ISOCYANATE IN EXCESS OF TLV, USE AN AIR-SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.

Protective Gloves:SOLVENT RESISTANT GLOVES.

Eye Protection:CHEMICAL GOGGLES OR FULL-FACE SHIELD,

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt.=251.1C, 484.F

Spec Gravity:1.06

VOC Grams/Liter:8.83

Evaporation Rate & Reference:NON VOLATILE

Appearance and Odor:CLEAR AMBER LIQUID

Percent Vol

atiles by Volume:0.0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
WATER, ALCOHOL, AMINES, STRONG BASES.
Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN,
POSSIBLE TRACES OF HCN.
Conditions to Avoid Polymerization: WILL NOT OCCUR

===== Toxicological Information =====

Toxicological Information: NONE SPECIFIED BY MANUFACTURER.

===== Ecological Information =====
=====

Ecological: NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods: NOT A HAZARDOUS WASTE ACCORDING TO EPA
REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF
SPILLAGE.

===== MSDS Transport Information =====

Transport Information: NONE SPECIFIED BY MANUFACTURER.

===== Regulatory Information =====

SARA Title III Information: NONE SPECIFIED BY MANUFACTURER.
Federal Regulatory Information: NONE SPECIFIED BY MANUFACTURER.
State Regulatory Information: THIS PRODUCT IS SUBJECT TO THE
PENNSYLVANIA WORKER AND COMMUNITY-RIGHT-TO-KNOW ACT (35 P.S.
SECTIONS 7301-7320.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner

whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.