

SPECIALITY INK CO INC -- OB STENCIL INK -- 7510-00-161-0815

===== Product Identification =====

Product ID:OB STENCIL INK

MSDS Date:01/30/1996

FSC:7510

NIIN:00-161-0815

Status Code:A

MSDS Number: CKZSY

=== Responsible Party ===

Company Name:SPECIALITY INK CO INC

Address:20 DUNTON AVE

Box:R

City:DEER PARK

State:NY

ZIP:11729-4702

Country:US

Info Phone Num:516-586-3666

Emergency Phone Num:1-516-586-3

666

Preparer's Name:ALLEN WERWA

CAGE:18029

=== Contractor Identification ===

Company Name:SPECIALITY INK CO INC

Address:20 DUNTON AVE

Box:R

City:DEER PARK

State:NY

ZIP:11729-4702

Country:US

Phone:516-586-3666

CAGE:18029

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL

CAS:64742-52-5

RTECS #:PY8035000

= Wt:3.

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

Ingred Name:MINERAL SPIRITS

CAS:8032-32-4

RTECS #:OI6180000

= Wt:76.

OSHA PEL:500 PPM

ACGIH TLV:125 PPM

===

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: HEADACHE, DIZZINESS, NAUSEA.
CHRONIC: IRRITANT TO EYES, SKIN AND MUCOUS MEMBRANES.
Effects of Overexposure:HEADACHE, DIZZINESS, AND NAUSEA. SKIN
IRRITATION AND DERMITITUS. PROLONGED BREATHING OF VAPORS MAY CAUSE
MILD SEPRESSION OR CONVULSIONS.
Medical Cond Aggravated by
Exposure:EYE, NOSE, THROAT AND SKIN
IRRITATIONS.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR
15 MINITUES. SKIN: KWASH WITH SOAP AND WATER. INGESTION: DO NOT
INDUCE VOMITING. GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:=42.2C, 108.F
108F
Autoignition Temp:=315.6C, 600.F
Autoignition Temp Text:600F
Lower Lim
its:0.9
Upper Limits:6.0
Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY BUT
NOT ON FLAME
Fire Fighting Procedures:WEAR AIR SUPPLIED BREATHING APPARATUS. WEAR
PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL FIRE EXPOSED AREA. USE
WATER SPRAY TO PROTECT PERSONELL.
Unusual Fire/Explosion Hazard:SUITABLE EYE PROTECTION TO PREVENT EYE
CONTACT.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE SOURCES OF IGNITION. VE

NTILATE. CONTAIN

SPILL WITH AN ABSORBENT. SOAK UP AND PLACE IN A DISPOSAL DRUM. DO NOT ALLOW SPILL TO ENTER WATERWAYS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID PROLONGED BREATHING BREATHING OF VAPORS. USE ONLY WITH PROPPER VENTILATION. KWASH UP BEFORE EATING, DRINKING, SMOKING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE O
NLY WITH PROPPER VENTILATION
Ventilation:SHOULD BE EQUAL TO OUTDOORS
Protective Gloves:CHEMICAL IMPERVIOUS
Eye Protection:SPLASH GLASSES
Other Protective Equipment:EYE BATH
Work Hygienic Practices:DUE CARE SHOULD BE TAKEN WHEN USING THIS
PRODUCT
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boiling Pt.=197.8C, 388.F
B.P. Text:388F
Vapor Pres: