View NSN Online: https://aerobasegroup.ae/nsn/6140-00-984-0143

Product ID:BATTERY ELECTRIC STORAGE, DRY CHARGED

MSDS Date:02/08/2001

FSC:6140

NIIN:00-984-0143 Status Code:A

MSDS Number: CLBFF === Responsible Party ===

Company Name: ACUMULADORES DEL NOROESTE, S.A. DE C.V.

Address: CALLE CRUZ DEL SUR NO. 10 FRACC.LA JOYA

City:TIJUA

NA B.C. MEXICO

Info Phone Num:1-800-443-1672 FROM USA

Emergency Phone Num:800-535-5053 Preparer's Name:NOT PROVIDED

CAGE:TO293

=== Contractor Identification ===

Company Name: ACUMULADORES DEL NOROESTE, S.A. DE C.V.

Address: CALLE CRUZ DEL SUR NO. 10 FRACC.LA JOYA

Box:City:TIJUANA B.C. MEXICO Phone:1-800-443-1672 FROM USA

CAGE:TO293

Company Name: BATTERY EMPORIUM AND TECHNOLOGY

Address:1462 CALLE MARBELLA

Box:City:OCEANSIDE

State:CA ZIP:92056 Country:US

Phone:760-630-1848

Contract Num:SP0430-01-M-G74

3

CAGE:05BF1

====== Composition/Information on Ingredients ========

Ingred Name:LEAD PB

Other REC Limits:NOT PROVIDED

OSHA PEL:0.06 MG/M3 ACGIH TLV:NOT PROVIDED

========= Hazards Identification ============

LD50 LC50 Mixture: NOT PROVIDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:EYE AND SKIN IRRITATION BY ACID, PB

OVER-EXPOSURE CAN BRING ON ABDOMINAL

CHOLIC, CONSTIPATION, NAUSEA, ANEMIA AND MUSCLE FATIGUE.
Explanation of Carcinogenicity:OSHA PB YES, PER MSDS.
Effects of Overexposure:STINGING AND BURNING SENSATIONS TO SKIN AND EYES.
Medical Cond Aggravated by Exposure:NOT PROVIDED
======================================
First Aid:NOT PROVIDED
======================================
Extinguishing Media:DRY CHEMICAL Fire Fighting Procedures:ORDINARY
========= Acci
dental Release Measures ==========
Spill Release Procedures:NOT PROVIDED Neutralizing Agent:NOT RELEVANT
============= Handling and Storage ===============
Handling and Storage Precautions:STORE WITH VENT SIDE UP, NEUTRALIZE ELECTROLYTE SPILLS. Other Precautions:NOT PROVIDED
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT PROVIDED
Ventilation:NOT PROVIDED
Protective Gloves:RUBBER GLOVES  Eye Protection:SAFETY GOGGLE
S OR FACE SHIELD
Other Protective Equipment:NOT PROVIDED
Work Hygienic Practices:NOT PROVIDED Supplemental Safety and Health
ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED.
======== Physical/Chemical Properties =========
HCC:Z7
NRC/State Lic Num:NOT RELEVANT Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED
Decomp Temp:Decomp Text:NOT PROVIDED Spec Gravity:NOT PROVI

DED Appearance and Odor:ACID HAS SHARP, PENETRATING, PUNGENT ODOR. Corrosion Rate:NOT PROVIDED
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NOT PROVIDED Stability Condition to Avoid:NOT PROVIDED
======================================
Toxicological Information:NOT PROVIDED
======== Ecological Information ==========
Ecological:NOT PROVIDED
========= Disposal Co nsiderations ====================================
Waste Disposal Methods:DO NOT DISPOSE, MATERIAL SHOULD BE RECYCLED BY LICENSED BATTERY RECYCLER.
======== MSDS Transport Information ==========
Transport Information:NOT PROVIDED
======================================
SARA Title III Information:NOT PROVIDED Federal Regulatory Information:NOT PROVIDED State Regulatory Information:NOT PROVIDED
======================================
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

Α

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their partic

