

TEXWIPE CO -- TAPE HEAD CLEANING PAD, TX1301 -- 7920-01-036-4464

=====
Product Identification
=====

Product ID:TAPE HEAD CLEANING PAD, TX1301

MSDS Date:02/01/1993

FSC:7920

NIIN:01-036-4464

Status Code:A

MSDS Number: CLBKY

=== Responsible Party ===

Company Name:TEXWIPE CO

Address:650 E CRESENT AVE

Box:308

City:UPPER SADDLE RIVER

State:NJ

ZIP:07458-1827

Country:US

Info Phone Num:201-327-5577

Emerge

ncy Phone Num:0000000000

CAGE:21994

=== Contractor Identification ===

Company Name:TEXWIPE CO

Address:650 E CRESENT AVE

Box:308

City:UPPER SADDLE RIVER

State:NJ

ZIP:07458-1827

Country:US

Phone:201-327-5577

CAGE:21994

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

= Wt:91.

OSHA PEL:980 MG/M3;400 PPM

ACGIH TLV:983 MG/M3;400 PPM

ACGIH STEL:1230 MG/M3;500 PPM

=====
Hazards Identification
=====

=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MINOR IRRITATION TO THE NOSE AND THROAT. PROLONGED EXPOSURES ABOVE THE TLV MAY CAUSE NARCOSIS, NAUSEA AND HEADACHE. EYE CONTACT WILL CAUSE LOCAL IRRITATION AND BURNING SENSATION, WITH POSSIBLE EYE DAMAGE. SKIN CONTACT WILL CAUSE A STINGING AND BURNING SENSATION WITH DEFATTING AND POSSIBLE IRRITATION FROM PROLONGED CONTACT. THIS ALCOHOL IS CONSIDERED POISON WITH INGESTION

OF 20ML CAUSING SERIOUS ILLNESS. THE SINGLE LETHAL ORAL DOSE FOR AN ADULT IS APPROXIMATELY 250ML

Medical Cond Aggravated by Exposure:

===== First Aid Measures =====

First Aid:EYE CONTACT: IRRIGATE WITH WATER FOR 15 MINUTES, INCLUDING UNDER EYELIDS. GET MEDICAL HELP. SKIN CONTACT: FLUSH WITH WATER. INHALATION: REMOVE TO FRESH AIR. RESTORE AND SUPPORT BREATHING AS NEEDED. GIVE OXYGEN IF BREATHING IS DIFFICULT. INGESTION: GET PROMPT MED

ICAL HELP. GIVE WATER TO DRINK TO DILUTE. IF MEDICAL HELP IS NOT READILY AVAILABLE, THE AMOUNT INGESTED WAS LARGE AND THE VICTIM IN CONSCIOUS AND ALERT, INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=-15.6C, 60.F
60F

Extinguishing Media:FIRES INVOLVING ISOPROPYL ALCOHOL ALCOHOL MAY BE EXTINGUISHED USING CARBON DIOXIDE, DRY CHEMICAL OR ALCOHOL FOAM. WATER MAY BE USED TO COOL FIRE EXPOSED CONTAINERS.

Fire

Fighting Procedures:FINE WATER MIST MAY BE USED TO SMOTHER FIRE OR DISPERSE VAPORS.

Unusual Fire/Explosion Hazard:LIQUID MAY RELEASE FLAMMABLE VAPORS WHICH CAN IGNITE AT OR ABOVE FLASH POINT.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP PERSONNEL NEED PROTECTION AGAINST LIQUID AND VAPOR. ABSORB SPILLS WITH PAPER TOWELS, EVACUATE FLAMMABLE ALCOHOL IN EXHAUST HOOD AND BURN DRY PAPER. CONTAIN LARGE SPILLS COLLECT LIQUID

IF FEASIBLE OR ABSORB WITH VERMICULITE OR SAND THEN PLACE INTO COVERED CONT FOR DISPOSAL. WATER CAN BE USED TO DILUTE AND FLUSH SPILL IF NECESSARY DO NOT FLUSH TO WATER COURSE OR TO SEWER OR ENCLOSED AREA.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A CLEAN, COOL, VENTILATED AREA AWAY FROM SOURCES OF IGNITION AND OXIDIZING AGENTS. HANDLE AND STORE IN A MANNER SUITABLE FOR AN OSHA CLASS IB FLAMMABLE LIQUID. ELECTRICAL SERVICES MUST NEED CODE. BOND AND GROUND CONTAINERS FOR TRANSFERS. USE NON-SPARKING TOOLS.
Other Precautions:WASH THOROUGHLY AFTER HANDLING. DO NOT SMOKE OR EAT IN AREAS OF STORAGE OR USE.

=====
===== Exposure Controls/Personal Protection =====

Ventilation:GENERAL EXHAUST
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boiling Pt:=27.5C, 81.5F
B.P. Text:81.5 (27.5)
Vapor Pres:43
Vapor Density:>1
Spec Gravity:0.818
Evaporation Rate & Reference:GREATER THAN 1 BUT ACE
Solubility in Water:100%
Appearance and Odor:CLEAR LIQUID ALCOHOL ODOR
Percent Volatiles by Volume:100

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
CAUSTICS, AMINES, ALKANOLAMINES, ALDEHYDES, AMMONIA, STRONG OXIDIZING AGENTS AND CHLORINATED COMPOUNDS.
Hazardous Decomposition Products:THERMAL-OXIDATIVE DEGRADATION MAY PRODUCE CARBON MONOXIDE.

=====

===== Disposal Considerations =====

Waste Disposal Methods: BURN WASTE IN AN APPROVED INCINERATOR OR DISPOSE OF VIA LICENCED WASTE DISPOSAL COMPANY. ABSORBED LIQUID CAN BE LANDFILLED. FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.