View NSN Online: https://aerobasegroup.ae/nsn/7930-01-398-0822

Product ID:THAT'S INCREDIBLE-A 20A, 130730 MSDS Date:05/23/1996 FSC:7930 NIIN:01-398-0822 Status Code:A MSDS Number: CLBTK === Responsible Party === Company Name: WERTH SANITARY SUPPLY CO Address:1561 PIONEER WAY **City:EL CAJON** State:CA ZIP:92020 Country:US Info Phone Num:619-440-2000 Е mergency Phone Num:800-535-5053 CAGE:5T372 === Contractor Identification === Company Name: WERTH SANITARY SUPPLY CO INC Address:1561 PIONEER WAY Box:City:EL CAJON State:CA ZIP:92020-1637 Country:US Phone:800-535-5053/619-440-2000 CAGE:5T372 Ingred Name:2-BUTOXYETHANOL CAS:111-76-2 RTECS #:KJ8575000 **OSHA PEL:25 PPM** ACGIH TLV:25 PPM, S Ingred Name: ISOPROPYL ALCOHOL (SARA 313) CAS:67-63-0 RTECS #:NT8050000 **OSHA PEL:400 PPM** 

ACGIH

TLV:400 PPM;500 STEL

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS) CAS:68476-85-7 RTECS #:SE7545000 OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHAL:NONE. INGEST:NAUSEA. SKIN:IRRITATION, BURNING. EYES:SEVERE IRRITATION, BURNING, CAN CAUSE MILD CORNEAL DAMAGE. Explanation of Carcinogenicity:NOT RELEVANT Medical Cond Aggravated by Exposure:NONE.

First Aid:INHAL:REMOVE TO FRESH AIR. INGEST:INDUCE VOMITING. SEE MD. SKIN:WASH W/SOAP & WATER. IF IRRITATION PERSISTS, SEE MD. EYES:WASH THOROUGHLY W/WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, SEE M D.

Flash Point:NONE Extingui shing Media:CO\*2. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES >120F MAY CAUSE BURSTING.

Spill Release Procedures: WIPE UP W/RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: DO NOT PUNCTURE OR INCINERATE CONT

## AINER. DO NOT REUSE CONTAINER. WRAP CONTAINER & PLACE IN TRASH COLLECTION. KEEP OUT OF REACH OF CHILDREN.

======= Exposure Controls/Personal Protection ========== Respiratory Protection: USE W/ADEQUATE VENTILATION. Ventilation:LOCAL EXHAUST. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health Boiling Pt:=100.C, 212.F Vapor Pres:17.5 Vapor Density:1 AIR=1 Spec Gravity:1 (H\*2O= 1) Evaporation Rate & amp; Reference:0.1 (BUTYL ACETATE=1) Solubility in Water:100% Appearance and Odor: CLEAR SPRAY; FRUITY BUTYL ODOR. Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid: TEMPERATURES >120F. Hazardous Decomposition Products:NONE. Waste Disposal Methods: DISPOSE OF RESIDUE I/A/W FEDERAL, STATE & LOCAL GUIDELINES. SARA Title III Information:2-BUTOXYETHANOL Federal Regulatory Information: ALL INGREDIENTS CONTAINED IN THIS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate a

PRODUCT ARE LISTED ON THE TSCA INVENTORY.

## nd

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.