

WERTH SANITARY SUPPLY CO -- THAT'S INCREDIBLE-A 20A, 130730 -- 7930-01-398-0822

=====  
Product Identification  
=====

Product ID:THAT'S INCREDIBLE-A 20A, 130730

MSDS Date:05/23/1996

FSC:7930

NIIN:01-398-0822

Status Code:A

MSDS Number: CLBTK

=== Responsible Party ===

Company Name:WERTH SANITARY SUPPLY CO

Address:1561 PIONEER WAY

City:EL CAJON

State:CA

ZIP:92020

Country:US

Info Phone Num:619-440-2000

E

mergency Phone Num:800-535-5053

CAGE:5T372

=== Contractor Identification ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

CAGE:5T372

=====  
Composition/Information on Ingredients  
=====

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

OSHA PEL:25 PPM

ACGIH TLV:25 PPM, S

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)

CAS:67-63-0

RTECS #:NT8050000

OSHA PEL:400 PPM

ACGIH

TLV:400 PPM;500 STEL

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS)  
CAS:68476-85-7  
RTECS #:SE7545000  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHAL:NONE. INGEST:NAUSEA.  
SKIN:IRRITATION, BURNING. EYES:SEVERE IRRITATION, BURNING, CAN  
CAUSE  
MILD CORNEAL DAMAGE.  
Explanation of Carcinogenicity:NOT RELEVANT  
Medical Cond Aggravated by Exposure:NONE.

=====  
First Aid Measures  
=====

First Aid:INHAL:REMOVE TO FRESH AIR. INGEST:INDUCE VOMITING. SEE MD.  
SKIN:WASH W/SOAP & WATER. IF IRRITATION PERSISTS, SEE MD. EYES:WASH  
THOROUGHLY W/WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS,  
SEE M D.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Extingui  
shing Media:CO\*2.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:CONTENTS UNDER PRESSURE. EXPOSURE TO  
TEMPERATURES >120F MAY CAUSE BURSTING.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WIPE UP W/RAG OR USE SOME ABSORBENT CLAY  
MATERIAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT PUNCTURE OR INCINERATE  
CONT

AINER. DO NOT REUSE CONTAINER. WRAP CONTAINER & PLACE IN TRASH COLLECTION. KEEP OUT OF REACH OF CHILDREN.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE W/ADEQUATE VENTILATION.  
Ventilation:LOCAL EXHAUST.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Boiling Pt:=100.C, 212.F  
Vapor Pres:17.5  
Vapor Density:1 AIR=1  
Spec Gravity:1 (H\*2O=1)  
Evaporation Rate & Reference:0.1 (BUTYL ACETATE=1)  
Solubility in Water:100%  
Appearance and Odor:CLEAR SPRAY; FRUITY BUTYL ODOR.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE.  
Stability Condition to Avoid:TEMPERATURES >120F.  
Hazardous Decomposition Products:NONE.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF RESIDUE I/A/W FEDERAL, STATE & LOCAL GUIDELINES.

=====  
===== Regulatory Information =====

SARA Title III Information:2-BUTOXYETHANOL  
Federal Regulatory Information:ALL INGREDIENTS CONTAINED IN THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate a

nd

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.