

LUBRICATION TECHNOLOGY INC -- CHRISTO-LUBE,MCG 200

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-567-0597
MSDS Date: 10/10/1997
MSDS Num: CLCGF
Product ID: CHRISTO-LUBE,MCG 200
MFN: 02
Responsible Party
Cage: 0JRD3
Name: LUBRICATION TECHNOLOGY INC
Address: 310 MORTON ST
City: JACKSON OH 45640
In
fo Phone Number: 740-286-2644
Emergency Phone Number: (614)-286-2644
=====

=====
Item Description Information
=====

Item Manager: S9G
Item Name: GREASE,AIRCRAFT AND INSTRUMENT
Specification Number: MIL-PRF-83261B(USAF)
Type/Grade/Class: NONE
Unit of Issue: CN
Quantitative Expression: 10000000065LB
UI Container Qty: 0
Type of Container: GALLON CAN
=====

=====
Ingredients
=====

Name: NON-HAZARDOUS PRODUCT
Percent by Wt: 100.
=====

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL, RAT) IS NOT KNOWN.
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: ACUTE: NO HEALTH HAZARDS. CHRONIC: NONE. PROLONGED
EXPOSURE CAUSES NO KNOWN ADVERSE EFFECTS. PRODUCT CONTAINS NO TOXIC
MATERIA

LS.

Explanation Of Carcinogenicity: NONE. PRODUCT DOES NOT CONTAIN ANY KNOWN CARCINOGENS.

Signs And Symptoms Of Overexposure: PROLONGED EXPOSURE CAUSES NO KNOWN ADVERSE EFFECTS.

Medical Cond Aggravated By Exposure: NO KNOWN MEDICAL CONDITIONS THAT MIGHT BE AGGRAVATED BY EXPOSURE.

First Aid: INHALATION: REMOVE TO FRESH AIR, GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. EYES: FLUSH WITH WATER AND CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER; IF IRRITATION OCCURS, CALL PHYSI

CIA N. INGESTION:

DRINK MILK OR WATER; DO NOT INDUCE VOMITING, CALL PHYSICIAN.

=====
Handling and Disposal
=====

Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

Neutralizing Agent: NOT PROVIDED

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE IN COOL WELL VENTI
LATED AREA OF LOW

FIRE RISK; AVOID BREATHING VAPORS; USE SELF-CONTAINED BREATHING APPARATUS IF OVER 1,000 PPM TLV.

Other Precautions: TOXIC VAPORS MAY EVOLVE ABOVE 600F; PROVIDE ADEQUATE VENTILATION IF USED ABOVE THIS TEMPERATURE.

=====
Fire and Explosion Hazard Information
=====

Autoignition Temp: >315.6C, 600.F

Extinguishing Media: C02, DRY CHEMICAL, FOAM, WATER SPRAY.

Fire Fighting Pr

ocedures: WEAR NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS. USE WATER TO COOL CONTAINERS AND FLUSH SPILLS. AVOID BREATHING SMOKE.

Unusual Fire/Explosion Hazard: TOXIC FLUORINE GASSES MAY EVOLVE IF HEATED ABOVE 600 DEG F.

=====
Control Measures
=====

Respiratory Protection: NOT REQUIRED.

Ventilation: LOCAL EXHAUSE NOT REQUIRED. MECHANICAL (GENERAL) RECOMMENDED.

Protective Gloves: PLAST

IC DISPOSABLE.

Eye Protection: SAFETY GLASSES, GOGGLES, OR FACE SHIELD.

Other Protective Equipment: PLASTIC OR FABRIC DISPOSABLE APRON OR COVERALLS RECOMMENDED.

Work Hygienic Practices: DO NOT CONTAMINATE SMOKING MATERIALS OR FOOD WITH PRODUCT.

Supplemental Safety and Health: FREE OF OZONE DEPLETION COMPOUNDS (ODCS).

=====
Physical/Chemical Properties
=====

HCC: V5

Melt/Freeze Pt: >260.C,
500.F

Vapor Pres: < 5 MM HG

Spec Gravity: 1.30

Solubility in Water: NIL

Appearance and Odor: YELLOW , FAINT ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES

Materials To Avoid: OXIDIZING MATERIALS CAN CAUSE A REACTION.

Hazardous Decomposition Products: FLUORINE PRODUCTS, SILICON DIOXIDE, CO2,
TRACES OF INCOMPLETELY BURNED CARBON.

Hazardous Polymerization Indicator: NO

Conditions T

o Avoid Polymerization: WILL NOT OCCUR.

=====
Toxicological Information
=====

Toxicological Information: CONTAINS NO TOXIC MATERIALS. PRODUCT DOES NOT
CONTAIN ANY KNOWN CARCINOGENS.

=====
Ecological Information
=====

Ecological: PRODUCT IS FREE OF OZONE DEPLETING COMPOUNDS (ODCS)

=====
MSDS Transport Information
=====

Transport Information: NOT PROVIDED

=====
Regulatory Information
=====

Sara Title III Information: NOT PROVIDED

Federal Regulatory Information: FREE OF OZONE DEPLETION COMPOUNDS (ODCS).

State Regulatory Information: NOT PROVIDED
=====

=====

Other Information

=====

Other Information: NO SPECIAL LABEL OR HAZARD WARNINGS ARE REQUIRED UNDER OSHA 29 CFR 1910.

=====

Transportation Information

=====

Responsible Party Cage: 0JRD3
Trans ID NO: 156821
Product ID: CHRISTO-LUBE,MCG 200
MSDS Prepared Date: 10/10/1997
Review Date: 04/24/2001
MFN: 2
Net Unit Weight: 6.5 LB
Multiple KI
T Number: 0
Unit Of Issue: CN
Container QTY: 0
Type Of Container: GALLON CAN

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=====
HAZCOM Label
=====

Product ID: CHRISTO-LUBE,MCG 200

Cage: 0JRD3

Company Name: LUBRICATION TECHNOLOGY INC

Street: 310 MORTON ST

City: JACKSON OH

Zipcode: 45640

Health Emergency Phone: (614)-286-2644

Label Required IND: Y

Date Of Label Review: 04/24/2001

Status Code: A

Label Date: 04/24/2001

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: NO

Health Hazard: None

Contact Hazard: None

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: ACUTE: NO HEALTH HAZARDS. CHRONIC: NONE. PROLONGED EXPOSURE CAUSES NO KNOWN ADVERSE EFFECTS. PRODUCT CONTAINS NO TOXIC MATERIALS.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner wha

tsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify an

d assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.