View NSN Online: https://aerobasegroup.ae/nsn/6550-01-165-6732

E M SCIENCE DIV OF E M INDUSTRIES INC -- WRIGHT-GIEMSA STAIN SOLUTION 6550-01-165-6732

Product ID:WRIGHT-GIEMSA STAIN SOLUTION

MSDS Date: 05/26/1998

FSC:6550

NIIN:01-165-6732 Status Code:A

MSDS Number: CLDHD === Responsible Party ===

Company Name: E M SCIENCE DIV OF E M INDUSTRIES INC

Address: 480 DEMOCRAT ROAD

Box:70

City:GIBBSTOWN

State:NJ ZIP:08027 Country:US

Info Phone Num:800-222-0342/609-423-6300

Emergency Phone Num:(800)424-9300 Resp. Party Other MSDS Num.:VW3578 Chemtrec Ind/Phone:(800)424-9300

CAGE:63612

=== Contractor Identification ===

Company Name: E M SCIENCE DIV OF E M INDUSTRIES INC

Address:480 DEMOCRAT ROAD

Box:70

City:GIBBSTOWN

State:NJ ZIP:08027 Country:US

Phone:800-222-0342/609-423-6300

CAGE:63612

====== Composition/Information on Ingredients ========

Ingred Name: GIEMSA STAIN

CAS:51811-82-6 Minumum % Wt:0. Maxumum % Wt: Ingred Name:WRIGHT STAIN CAS:68988-92-1 Minumum % Wt:0. Maxumum % Wt:1.

Ingred Name:GLYCEROL CAS:56-81-5 RTECS #:MA8050000 Minumum % Wt:0. Maxumum % Wt:20. OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:METHANOL
CAS:67-56-1
RTECS #:PC1400000
Minumum % Wt:80.
Maxumum % Wt:99.
OSHA PEL:260 MG/M3;200 PPM
ACGIH TLV:262 MG/M3;200 PPM
ACGIH STEL:328 MG/M3;250 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

========= Hazards Identification ============================

LD50 LC50 Mixture:N

O DATA PROVIDED BY MANUFACTURER

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TOXIC BY INGESTION AND INHALATION. CAN BE TOXIC BY SKIN ABSORPTION. AFFECTS CENTRAL NERVOUS SYSTEM, ESPECIALLY OPTIC NERVE. MARKED IMPAIRMENT OF VISION AND ENLARGEMENT OF THE LIVER HAS BEEN REPORTED W ITH CHRONIC EXPOSURE. INGESTION CAN PRODUCE BLINDNESS (100 ML CAN BE FATAL). PROLONGED OR REPEATED SKIN

CONTACT MAY CAUSE IRRITATION.


Explanation of Carcinogenicity:THE MATERIAL IS NOT LISTED (IARC, NTP, OSHA) AS CANCER CAUSING AGENT.

Effects of Overexposure: CAUSES DIZZINESS, NAUSEA, MUSCLE WEAKNESS, NARCOSIS, RESPIRATORY FAILURE.

Medical Cond Aggravated by Exposure: DATA NOT AVAILABLE

First Aid:GET MEDICAL ASSISTANCE FOR ALL CASES OF OVEREXPOSURE. SKIN: IMEDIATELY FLUSH THOROUGHLY WITH LARGE AMOUNTS OF WATER. EYE:

IMMEDIATELY FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. INHALATION: R EMOVE TO FRESH AIR; GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. INGESTION: IF CONSCIOUS, DRINK WATER AND INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.



====== Exposure Controls/Personal Protection =========

Respiratory Protection:IF WORKPLACE EXPOSURE LIMIT(S) OF PRODUCT OR ANY COMPONENT IS EXCEEDED (SEE TLV/PEL), A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL. OSHA REGULATI ONS ALSO PERMIT OTHER NIOSH/MSHA RESPIRATORS (NEGATIVE PRESSURE TYPE) UNDER SPECIFIED CONDITIONS (SEE YOUR SAFETY EQUIPMENT SUPPLIER). ENGINEERING AND/OR

Ventilation: MATERIAL MUST BE

HOOD OR WITH EQUIVALENT VENTILATION Protective Gloves: NEOPRENE OR EQUIVALENT Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS MUST BE WORN AT ALL **TIMES** Other Protective Equipment: IMPERVIOUS PROTECTIVE CLOTHING SHOULD BE WORN TO PREVENT SKIN CONTACT. EYE WASH AND SAFETY EQUIPMENT SHOULD BE READILY AVAILABLE Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING, DO NOT TAKE INTERNALLY. Supplemental Safety and Health MSDS COVERS CATALOG NUMBERS: VW3578, 742. ======== Physical/Chemical Properties ============ HCC:F5 Solubility in Water:MISCIBLE Appearance and Odor: PURPLE LIQUID, SLIGHT ALCOHOLIC ODOR ======== Stability and Reactivity Data ============ Stability Indicator/Materials to Avoid:YES OXIDIZERS, CAUSTIC ALKALI, DICHROMATES, REDUCING AGENTS, ALKALI **IODIDES** Stability Condition to Avoid: HEAT, IGNITION SOURCES Hazardous Decomposition Products:COX, FORMALDEHYDE Conditions to Avoid Polymerization: DOES NOT OCCUR ======== Toxicological Information =========== Toxicological Information: NONE. CITED IN REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES (RTECS). ========= Ecological Information ============== Ecological: NO DATA PROVIDED BY MANUFACTURER. ======= Disposal Considerations ============ Waste Disposal Methods: EPA WASTE NUMBERS: D001. INCINERATION, FUELS BLENDING OR RECYCLE. CONTACT YOUR LOCAL

HANDLED OR TRANSFERRED IN AN APPROVED FUME

PERMITTED WASTE DISPOSER (TSD) TO ASSURE COMPLIANCE WITH ALL CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.
========= MSDS Transport Information ===========
Transport Information:DOT PROPER SHIPPING NAME: METHANOL SOLUTION. DOT ID NUMBER: UN1230.
============ Regulatory Information =============
SARA Title III Information:SARA 313: METHANOL. DEMINIMIS F OR SARA 313 (METHANOL): 1.0%.
Federal Regulatory Information:CERCLA RQ (LBS): METHANOL=5000. TSCA STATEMENT: EXEMPT FROM TSCA LISTING REQUIREMENTS. OSHA FLOOR LIST GLYCEROL, METHANOL.
State Regulatory Information:NO DATA PROVIDED BY MANUFACTURER.
============= Other Information =============================

SITE (TSD) FOR PERMISSIBLE TREATMENT SITES. ALWAYS CONTACT A

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United Sta tes of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

PERMITTED WASTE DISPOSAL