View NSN Online: https://aerobasegroup.com/nsn/8040-01-406-8119 MONOMER-POLYMER & DAJAC LABS., INC. -- EPIPHEN EPOXY RESIN 825-A -- 8040-01-406-8119 Product ID: EPIPHEN EPOXY RESIN 825-A MSDS Date:03/26/2001 FSC:8040 NIIN:01-406-8119 Status Code:A MSDS Number: CLFWP === Responsible Party === Company Name: MONOMER-POLYMER & DAJAC LABS., INC. Address:36 TERRY DRIVE City:TREVOSE State:PA ZIP:19047 Info Phone Num:(215) 364-1155 Em ergency Phone Num:800-424-9300 Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300 **CAGE:4Y418** === Contractor Identification === Company Name: MONOMER-POLYMER & DAJAC LABS., INC. Address:36 TERRY DRIVE Box:City:TREVOSE State:PA ZIP:19047 Phone: (215) 364-1155 CAGE:4Y418 ======= Composition/Information on Ingredients ========

Ingred Name:EPOXIDIZED NOVOLAC RESIN

= Wt:80.

Ingred Name:GLYCERYL TRIGLYCIDYL ETHER

= Wt:20.

====== Hazards Identification ======

=======================================
LD50 LC50 Mixture:NONE Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:EYES: MAY CAUSE EYE IRRITATION. SKIN: MAY CAUSE SKIN IRRITATION. INHALATION: MAY CAUSE RESPIRATORY SYSTEM IRRITATION. INGESTION: MAY BE HARMFUL IF SWALLOWED. Explanation of Carcinogenicity:NONE
======================================
First Aid:EYE CONTACT: WASH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. DO NOT RUB EYES. SEEK MEDICAL ATTENTION. SKIN CONTACT: WASH THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. CALL A PHYSICIAN. INHALATION: MOVE TO FRESH AIR. SEEK MEDICAL ATTENTION. INGESTION: IF SWALLOWED, IMMEDIATELT DRINK A LARGE QUANTITY OF WATER AND CALL A PHYSICIAN.
======================================
Flash Point:NONE TO BOILING Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM. AVOID WATER IF POSSIBLE, AS WATER MAY CAUSE SPATT ERING OF HOT MATERIAL AND MAY SPREAD BURNING. Unusual Fire/Explosion Hazard:COMBUSTION WILL RESULT IN THE RELEASE OF THE USUAL DECOMPOSITION PRODUCTS INCLUDING OXIDES OF CARBON AND
NITROGEN.
========= Accidental Release Measures ==========
Spill Release Procedures:EVACUATE AREA AND VENTILATE. STAY UPWIND. WEAR PROTECTIVE AS OUTLINED BELOW. ELIMINATE IGNITION SOURCES. DIKE TO CONTROL SPILL. ABSORB WITH INERT MATERIAL. PICK UP MATERIAL AND PLACE IN CLOS ED DRUMS. LABEL FOR DISPOSAL. Neutralizing Agent:NONE
============= Handling and Storage =============
Handling and Storage Precautions:USE SAFETY GOGGLES AND CHEMICAL RESISTANT RUBBER GLOVES AND CLOTHES. STORE IN A COOL, DRY AREA. AVOID CONTACT WITH THE MATERIAL. AVOID PROLONGED OR REPEATED EXPOSURE.WASH THOROUGHLY AFTER HANDLING MAT ERIAL. Other Precautions:NONE

====== Exposure Controls/Personal Protection ========

Respiratory Protection:WEAR A

PPROPRIATE NIOSH/MSHA APPROVED RESPIRATOR

Ventilation: VENTILATION SHOULD BE DESIGNED IN ACCORDANCE WITH GOOD ENGINEERING PRACTICES.

Protective Gloves: USE GLOVES OR NEOPRENE OR OTHER CHEMICALLY INERT MATERIAL.

Eye Protection: SPLASHPROOF GOGGLES OR FACE SHIELD.

Other Protective Equipment: EYEWASH AND SAFETY SHOWERS SHOULD BE AVAILABLE AREAS WHERE THIS PRODUCT IS HANDLED.

Work Hygienic Practices:NONE Supplemental Safety and Health NONE

Boiling Pt:B.P. Text:NONE

Melt/Freeze Pt:M.P/F.P Text:NONE Decomp Temp:Decomp Text:NONE Spec Gravity:(H2O 1.25=1)

Appearance and Odor:LIGHT TAN VISCOUS LIQUID, VERY SLIGHT ODOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

**NONE** 

Stability Condition to Avoid:AVOID INTENSE HEAT FOR LONG PERIODS OF TIME. BASES, EXCESS OF CURING AGENT.

Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE. Conditio

ns to Avoid Polymerization: MAY OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods: OBSERVE ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use

. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.