

RALRUBE INC. -- ASPHALT CUTBACK ADHESIVE SS #462 -- 8040-00-264-3891

=====
Product Identification
=====

Product ID: ASPHALT CUTBACK ADHESIVE SS #462

MSDS Date: 08/15/1998

FSC: 8040

NIIN: 00-264-3891

Status Code: A

MSDS Number: CLGRG

=== Responsible Party ===

Company Name: RALRUBE INC.

Address: 36977 FOX GLEN

City: FARMINGTON HILLS

State: MI

ZIP: 48331

Country: US

Info Phone Num: 248-661-0260

Emergency Phone

Num: 999-999-9999

Preparer's Name: ERNEST CARTER

Chemtrec Ind/Phone: (800)424-9300

CAGE: 6X798

=== Contractor Identification ===

Company Name: RALRUBE INC.

Address: 36977 FOX GLEN

Box: City: FARMINGTON HILLS

State: MI

ZIP: 48331

Country: US

Phone: 248-661-0260, FAX 248-661-3941

CAGE: 6X798

=====
Composition/Information on Ingredients
=====

Ingred Name: PETROLEUM DISTILLATE

CAS: 8030-30-6

Code: F

RTECS #: DE3030000

Minumum % Wt: 30.

Maxumum % Wt: 35.

OSHA PEL: 400 MG/M3; 100 PPM

ACGIH TLV: 1590 MG/

M3;400 PPM

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES

Health Hazards Acute and Chronic:NONE

Explanation of Carcinogenicity:NONE

Effects of Overexposure:HEADACHES, DIZZINESS, EYES, NOSE, THROAT AND LUNG DISTRESS FROM VAPORS, INHALATION OF HIGH CONCENTRATIONS. SKIN IRRITATION AND DERMATITIS MAY DEVELOP FROM PROLONGED CONTACT WITH SKIN.

Medical Cond Aggravated by Exposure:BY

EXPOSURE: CURRENT

ANEMIA,RESPIRATORY TRACT OR LIVER AILMENTS, AND SKIN CONDITIONS.

=====
===== First Aid Measures =====

First Aid:MOVE PERSON TO FRESH AIR. IN CASE OF EYE CONTACT: FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. WASH SKIN THOROUGHLY WITH SOAP AND WATER OR HAND CLEANER. HAZARDOUS

=====
===== Fire Fighting Measures =====

Flash Point Method:CALC

Flash Point:=-13.3C, 56.F

Autoignition Temp:Autoignition Temp Te

xt:NONE

Lower Limits:1%

Upper Limits:NONE

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY DEVELOP EXCESSIVE PRESSURE AND ERUPT WHEN EXPOSED TO EXTREME HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP MATERIAL INTO APPROVED DOT CONTAINER;REMOVE TO SAFE PLACE WHERE MATERIAL CAN DRY.

Neutralizing Agent:NONE

=====
===== Handling and S

torage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, FLAMES,
AND ALL, SOURCES OF IGNITION.

Other Precautions:KEEP OUT OF REACH OF CHILDREN.USE ONLY AS DIRECTED ON
LABEL. CLOSE CONTAINER AFTER EACH USE. DO NOT RE-USE CONTAINER.
AVOID SKIN AND EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH APPROVED RESPIRATORY EQUIPMENT.

Ventilation:FLAMMABLE VAPORS IGNITE. ADEQUATE VENTILATIO
N IS ESSENTAL.

Protective Gloves:TO PREVENT SKINCONTACT.

Eye Protection:GLASSES TO AVOID SPLASHES.

Other Protective Equipment:NONE

Work Hygienic Practices:WASH SKIN THOROUGHLY WITH SOAP AND WATER OR
HAND CLEANER.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:257-310 F.

Melt/Freeze Pt:M.P/F.P Text:NONE

Decomp Temp:Decomp Text:NONE

Vapor Density:HEAVIER

VOC Pounds/Gallon:295

Evaporation Rate & Reference:SLOWE
R THAN ETHER.

Percent Volatiles by Volume:40%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME, AND ALL OTHER
SOURCES OF IGNITION.

Hazardous Decomposition Products:NONE

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL DISPOSAL
REGULATION

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.