View NSN Online: https://aerobasegroup.ae/nsn/4610-01-266-7531

VILLAGE MARINE TEC -- CHEMICAL #1

_____ FSC: 4610 NIIN: 01-266-7531 MSDS Date: 08/12/1993 MSDS Num: CLHGW Product ID: CHEMICAL #1 MFN: 01 Kit Part: Y **Responsible Party** Cage: 62144 Name: VILLAGE MARINE TEC Address: 2000 W 135TH ST City: GARDENA CA 90249 Info P hone Number: 310-516-9911 Emergency Phone Number: 310-516-9911 _____ Item Description Information _____ Item Manager: S9C Item Name: PARTS KIT, WATER CHE Unit of Issue: KT UI Container Qty: Z _____ Ingredients ______ Name: *** PROPRIETARY *** _____ _____ _____ Health Hazards Data _____ Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: ACUTE: CAN CAUSE IRRITATION OR DISCOMFORT AT POINT OF CONTACT. CHRONIC: REPEATED OR PROLONGED EXPOSURE MAY INTENSIFY ACUTE SYMPTOMS. Explanation Of Carcinogenicity: CAL/

OSHA: NO. SUSPECTED CANCER AGENT: NO.

Signs And Symptions Of Overexposure: INHALATION: INHALATION OF POWDER OR MISTS MAY CAUSE IRRITATION OF THE NO SE, THROAT, & amp; RESPIRATORY SYSTEM. CONTACT

WITH SKIN OR EYES: EYE CONTACT WITH POWDERS CAUSES SEVERE IRRITATION. EYE CONTACT WITH SOLUTION CAUSES IRRITATION. SKIN CONTACT WITH SOLUTION MAY CAUSE IRRITATION. SKIN ABSORPTION: SHOULD NOT OCCUR. MAY CAUSE IRRITATION AT POINT OF CONTACT. INGESTION: INGESTION OF SOLUTION CAN CAUSE GA STROINTESTINAL DISORDERS SUCH AS GASTRITIS OR UPSET STOMACH. INGESTION: CAN CAUSER INTERNAL BURNING AND REDDENING OR SWELLING AT THE POINT OF INJECTION. Me

dical Cond Aggravated By Exposure: EXISTING SKIN OR RESPIRATORY CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.

First Aid: IF SPILLED ON SKIN OR EYES, IMMEDIATELY DECONTAMINATION WITH RUNNING WATER. REMOVE EXPOSED/SOILED CLOTHING, D NOT CONTAMINATE EYES. VICTIM & amp; RECUSERS MUST SEEK IMMEDIATE MEDICAL ATTENTION. IF CHEMICAL IS IN EYES, OPEN EYES WHILE UNDER GENTLE RUNNING WATER. USE SUFFICIENT FORCE TO OPEN EYELIDS. ROLL EYES. FLUSH FOR 15 MINS. IF CHEMICAL IS INHALED, REMOVE VICTIM TO FR ESH

AIR & USE ARTIFICIAL RESPIRA TION TO SUPPORT VITAL FUNCTIONS. REMOVE OR COVER GROSS CONTAMINATION TO AVOID EXPOSURE TO RESCUERS. IF CHEMICAL IS SWALLOWED, CALL PHYSICIAN OR POISON CONTROL CENTER. DO NOT INDUCE VOMITING. TAKE VICT IM/RESCUERS FOR MEDICAL ATTENTION.

Handling and Disposal

Spill Release Procedures: UNCONTROLLED RELEASES SHOULD BE RESPONDED TO USING TRAINE

D PEOPLE & amp; PRE-PLANNED PROCEDURES. USE PROPER PROTECTIVE EQUIPMENT. FOR SPILL, CLEAR THE AREA, PROTECT PEOPLE, & amp; RESPOND WITH TRAINED PERSONNEL . MINIMUM (RUBBER GLOVES & amp; RUBBER APRON, SPLASH GOGGLES OR SAFETY GLASSES). ABSORB SPILLED LIQUID WITH SUITBALE ABSORBENT. "SEE OTHER INFORMATION"

Waste Disposal Methods: WASTE DISPOSAL MAY BE IN ACCORDANCE WITH APPROPIATE FEDERAL, STATE & amp; LOCAL REGULATIONS. THIS CHEMICAL, IF UNALTERED BY THE HANDLING, MAY BE DISPOSED OF BY TR

EATEMNT AT A PERMITTED FACILITY OR AS ADVIS

ED BY YOUR LOCAL HAZARDOUS WASTE REGULATORY AUTHORITY.

Handling And Storage Precautions: STORE IN CLOSED CONTAINER IN A COOL, DRY PLACE. STORE AWAY FROM INCOMPATIBLE MATERIALS.

Other Precautions: PROTECTIVE PRACTICES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT: FOLLOW PRACTICES INDICATED ABOVE. CLEAN CONTAMINATION FROM EQUIPMENT PRIOR TO MAINTENANCE WHENEVER POSSIBLE. MAKE CERTAIN EQUIPMENT I S LOCKED SAFE & amp; ADEQUATE VENTILATION IS PROVI

Fire and Explosion Hazard Information

Extinguishing Media: USE MEDIA APPROPIATE FOR SURROUNDING MATERIALS. WATER

SPTAY: OK. DRY CHEMICAL: OK. CARBON DIOXIDE: OK. HALON: OK. FOAM: OK. OTHER: OK.

Fire Fighting Procedures: INCIPIENT FIRE RESPONDERS SHOULD WEAR EYE PROTECTION. STRUCTURAL FIRE FIGHTERS MUST WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE TOXIC OXIDES OF CARBON, NITROGEN, AND PHOPHORUS.

Control Measures

Respiratory Protection: USE NIOSH APPROVED RESPIRATORS IF VENTILATION IS INADEQUATE TO CONTROL DUSTS OR MISTS.

Ventilation: USE WITH ADEQUATE VENTILATION. USE A MECHANICAL FAN OR VENT AREA TO OUTSIDE.

Protective Gloves: WEAR CHEMICALLY IMPE

RVIOUS GLOVES WHICH ARE RESISTANT TO

BASIC MATERIALS.

Eye Protection: SAFETY GLASSES SHOULD ALWAYS BE WORN. SPLASH GOGGLES OR FACESHIELD.

Other Protective Equipment: WEAR A CHEMICALLY RESISTANT APRON AND BOOTS TO PREVENT SPLASHES FROM CONTACTING THE BODY.

Work Hygienic Practices: AVOID GETTING CHEMICALS ON YOU OR IN YOU. WASH HANDS AFTER HANDLING CHEMICALS. DO NOT EAT OR DRINK WHILE HANDLING CHEMICALS. Supplemental Safety and Health: ITEM IS A THREE PART KIT. SEE MSDS SERIAL#CLHHT

AND

CLHHF. END ITEM IDENTIFICATION: 1095-00-270-6019.

Physical/Chemical Properties

HCC: C3

Solubility in Water: YES

Appearance and Odor: WHITE POWDER. NO ODOR.

Reactivity Data

Stability Indicator: YES Stability Condition To Avoid: YES, IN A DRY STATE. Materials To Avoid: ACIDS,

STRONG OXIDIZING AGENTS, METALIIC IONS MAY CAUSE CATALYTIC DECOMPOSITION. Hazardous Decomposition Products: AVOID CONTACT WITH INCOMPATIBLE MATERIALS. HEAT FROM FIRE MAY CAUSE PRODUCT TO DECOMPOSE, PRODUCING TOXIC GASES. Hazardous Polymerization Indicator: NO
======================================
======================================
Regulatory Information
======================================
e=====================================
Other In formation: SPILL: NEUTRALIZE CONTAMINATION & amp; WASH AREA WITH SOAP & amp; WATER, ABSORB & amp; RINSE WITH WATER. PLACE ALL SPILL RESIDUE IN A DOUBLE PLASTIC BAG, SEAL IT & amp; LABEL AS WASTE. DISPOSE OF IN ACCORDANCE WITH FEDER AL, STATE & amp; LOCAL HAZARDOUS WASTE DISPOSAL REGULATIONS (YOU MAY BE A SMALL QUANTITY GENERATOR). **NFPA RATING: 1-0-1. ***RECOMMENDATIONS TO PHYSICIANS: TREAT SYMPTOMS OF EXPOSURE TO PRODUCT INGREDIENT S.
======================================
======================================

Trans ID NO: 158048 Product ID: CHEMICAL #1 MSDS Prepared Date: 08/12/1993 Review Date: 07/30/2001 MFN: 1 Multiple KIT Number: 0 Kit Part IND: Y Review IND: Y Unit Of Issue: KT Container QTY: Z

Detail DOT Information

DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULA

TED BY THIS MODE OF TRANSPORTATION
Detail IMO Information
IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
Detail IATA Information
IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION ====================================
Detail AFI Information
AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
HAZCOM Label
Product ID: CHEMICAL #1 Cage: 62144 Company Name: VILLAGE MARINE TEC Street: 2000 W 135TH ST City: GARDENA CA Zipcode: 90249 Health Emergency Phone: 310-516-991 1 Label Required IND: Y Date Of Label Review: 07/30/2001 Status Code: A Origination Code: F Chronic Hazard IND: Y Eye Protection IND: YES Skin Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION Respiratory Protection IND: YES Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Slight Fire Hazard: Slight Hazard And Precautions: PRODUCT MAY CAUSE IRRITATION AT POINT OF CONTACT. DO NOT BREATHE DUST OR MISTS. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. KEEP IN TIGHTLY CLOSED CONTAINERS. USE WIT

H ADEQUATE VENTILATION. WASH THOR OUGHY AFTER HANDLING.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or

viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government s ituation.