View NSN Online: https://aerobasegroup.ae/nsn/6750-01-097-0773

EASTMAN KODAK COMPANY -- 812 1188,WKG SOL,KODAK T-MAX 100 DIRECT POSITIVE(SEE SUPPL) -- 6750-01-097-0773

============= Product Identification ==================

Product ID:812 1188,WKG SOL,KODAK T-MAX 100 DIRECT POSITIVE(SEE SUPPL)

MSDS Date:03/09/2001

FSC:6750

NIIN:01-097-0773 Status Code:A

MSDS Number: CLHKB === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650 Country:US

Info Phone Num:716-477-3194 MSDS:800-242-2424

Emergency Phone Num:716-722-5151 Preparer's Name:NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Minumum % Wt:90. Maxumu m % Wt:95.

Other REC Limits: NOT PROVIDED

Code:F

Ingred Name: POTASSIUM SULFITE

CAS:10117-38-1

RTECS #:WT3530000

Minumum % Wt:1.

Maxumum % Wt:5.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name: POTASSIUM CARBONATE

CAS:584-08-7

RTECS #:TS7750000

Minumum % Wt:1.

Maxumum % Wt:5.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:NOT PROVIDED

Ingred Name: HYDROQUINONE

CAS:123-31-9

RTECS #:MX3500000

Minumum % Wt:1.

Maxumum % Wt:5.

Other REC Limi

ts:NOT PROVIDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name: POLYMERIC GLYCOL

CAS:25322-68-3

RTECS #:TQ3500000

< Wt:1.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:NOT PROVIDED

=========== Hazards Identification ==============

LD50 LC50 Mixture: NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION: EXPECTED LOW HAZARD FOR

USUAL INDUSTRIAL OR COMMERCIAL HANDLIN

G BY TRAINED PERSONNEL. IN

CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITES MAY LIBERATE SULFUR DIOXIDE GAS. SULFUR DIOXIDE G AS IS IRRITATING TO RESPIRATORY TRACT. SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING. EYES: CAUSES IRRITATION. SKIN: CAUSES IRRITATION. MAY CAUSE ALLERGIC SKIN REACT ION BASED ON HUMAN EXPERIENCE. MAY CAUSE SKIN DEPIGMENTATION. INGESTION: HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT.

Explanation of Carcinogenicity:(IARC): HYDROQUINONE, SULFUR DIOXIDE,SOME SULFITES, BISULFITES AND METASULFITES, GROUP 3; NOT CLASSIFIABLE. (ACGIH): HYDROQUINONE, A3; CONFIRMED ANIMAL CARCINOGEN WITH UNKNOWN RELEVANCE HUMANS. S ODIUM BISULFITE, A4; NOT CLASSIFIABLE AS HUMAN CARCINOGEN. NATIONAL TOXICOLOGY PROGRAM (NTP): NONE - OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA): NONE

- Effects of Overexposure:INHALATION: IN CONTACT WITH STRONG ACIDS OR IF HEATE
- D, SULFITES MAY LIBERATE SULFUR DIOXIDE GAS. SULFUR DIOXIDE
 GAS IS IRRITATING TO RESPIRATORY TRACT. EYES: CAUSES IRRITATION.
 SKIN: CAUSES IRRITATIO N. MAY CAUSE SKIN DEPIGMENTATION.
 INGESTION: MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT.
 Medical Cond Aggravated by Exposure:SOME ASTHMATICS, HYPERSENSITIVE OR
- Medical Cond Aggravated by Exposure:SOME ASTHMATICS, HYPERSENSITIVE OR SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING, WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS AND DIARRHEA.

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF SY MPTOMS OCCUR. SKIN: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF SKIN IRRITATION OR ALLERGIC SKIN REACTION DEVELOP, GET MEDICAL ATTENTION. WASH CONTAM


INATED CLOTHING BEFORE REUSE. INGESTION:

ONLY INDUCE VOMITING AT THE INSTRUCTION OF MEDICAL PERSONNEL. CALL PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIO US PERSON.

========== Fire Fighting Measures ===============

Flash Point:NONE

Extinguishing Media:USE APPROPRIATE AGENT FOR ADJACENT FIRE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODU



Supplemental Safety and Health

CONTD FROM PRODUCT ID: FILM FIRST DEVELOPER.

======== Physical/Chemical Properties ==========

HCC:B3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:>100.C, 212.F Melt/Freeze Pt:M.P/F.P Text:

NOT PROVIDED Decomp Temp:Decomp Text:NOT PROVIDED Vapor Pres:68F: 24MBAR (18 MM HG) Vapor Density:0.6 Spec Gravity:1.03 pH:10-10.1 Viscosity:NOT PROVIDED Evaporation Rate & Deference:NOT PROVIDED Solubility in Water:COMPLETE Appearance and Odor:COLORLESS ODORLESS, LIQUID. Percent Volatiles by Volume:90-95 WT Corrosion Rate:NOT PROVIDED
======================================
Stability Indicator/Materials to Avoid:YES NONE WITH COMMON MATERIALS AND CONTAMINANTS W ITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT. Stability Condition to Avoid:NOT PROVIDED Hazardous Decomposition Products:NONE
======================================
Toxicological Information:IN F-344 RATS, CHRONIC ORAL ADMINISTRATION OF HYDROQUINONE HAS RESULTED IN THE FORMATION OF BENIGN KIDNEY TUMORS THOUGHT TO BE SECONDARY TO NEPHROPATHY. HYDROQUINONE-INDUCED NEPHROPATHY FOLLOWING ORAL ADMINISTRATION HAS BEEN NO TED IN THE MALE F-344 RAT, BUT NOT IN OTHER SPECIES OR RAT STRAINS TESTED. ALTHOUGH AN INCREASE IN MONONUCLEAR CELL LEUKEMIA IN F-344 FEMALE RATS HAS BEEN REPORTED FOLLOWING CHRONIC ORAL ADMINISTRATION OF HYDROQUINONE, THIS FINDING WAS NOT REPRODUCED IN A SUBSEQUENT STUDY.
========== Ecological Information =============
Ecological:THE FOLLOWING PROPERTIES ARE ESTIMATED FROM THE COMPONENTS OF THE PREPARATIONS. POTENTIAL TOXICITY: FISH LC50 MG/L: 1-10. DAPHNID EC50 MG/L: 1-10. ALGAL IC50 MG/L: 10-100. ORGANICS READILY DEGR ADABLE (>70%): YES (7 DAYS). POTENTIAL BIOACCUMULATION: LOG POW 100.

====== Disposal Considerations ==========

Waste Disposal Methods: DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EV EN AFTER CONTAINER IS EMPTIE

D.
======== MSDS Transport Information ==========
Transport Information:FOR TRANSPORTATION INFORMATION REGARDING THIS PRODUCT CALL THE KODAK WORLDWIDE TRANSPORTATION HAZMAT HOT LINE: (716) 722-2400 BETWEEN 8 A.M. AND 5 P.M. (EASTERN STANDARD TIME), MONDAY THROUGH FRIDAY.
======== Regulatory Information ==========
SARA Title III Information:CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND
AMENDMENTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND 40 CFR PART 372: HYDROQUINONE
Federal Regulatory Information:NOT PROVIDED
State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF
CALIFORNIA TO CAUSE CANCER: NONE - MATERIAL(S) KNOWN TO THE STATE
OF CALIFORNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE

============ Other Information ===============

Disclaimer (provided with this information by the compiling agencies): This inf

ormation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.