

WERTH SANITARY SUPPLY CO INC -- 100214, FRESH & CLEAN AIR FRESHENER --
6840-01-441-4406

===== Product Identification =====

Product ID:100214, FRESH & CLEAN AIR FRESHENER

MSDS Date:03/01/2000

FSC:6840

NIIN:01-441-4406

Status Code:A

MSDS Number: CLHTP

=== Responsible Party ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Info Pho

ne Num:800-535-5053/619-440-2000

Emergency Phone Num:800-535-5053

Resp. Party Other MSDS Num.:X-5001

Preparer's Name:DS

CAGE:5T372

=== Contractor Identification ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

CAGE:5T372

===== Composition/Information on Ingredients =====

Ingred Name:ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 3.0%

OSHA PEL:980 MG/M3;4

00 PPM
ACGIH TLV:983 MG/M3;400 PPM
ACGIH STEL:1230 MG/M3;500 PPM

Ingred Name:QUATERNARY AMMONIUM COMPUOUNDS
Fraction by Wt: 5.0%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:ACUTE: NONE KNOWN. INHALTION:
PROLONGED EXPOSURE TO VAPORS MAY CAUSE SIGNS & SYMPTOMS OF CENTRAL
NERVOUS SYSTEM DEPRESSION SUCH AS HEADACHE, DIZZINESS, WEAKNESS AND
LOSS OF COORDINATION. VAPOR/MIST
MA Y RESULT IN IRRITATION OF THE
ENTIRE RESPIRATORY TRACT. EYE: CONTACT MAY RESULT IN SEVERE EYE
IRRITATION AND POSSIBLE DAMAGE TO THE CORNEAL. REDNESS AND TEARING.
SKIN: PROLONGED OR REPEATED SKIN CONTA CT MAY RESULT IN SKIN
IRRITATION LEADING TO DERMITITIS. DEFATTING OF SKIN MAY ALSO OCCUR.
INGESTION: INGESTION OF THIS PRODUCT MAY RESULT IN GASTROINTESTINAL
IRRITATION, HEADACHE, NAUSEA, VOMITING AND DIARRHEA. CHRONIC
EFFECTS: NONE KNOWN.

Effects of Overexposure:ACUT
E: NONE KNOWN. INHALTION: PROLONGED
EXPOSURE TO VAPORS MAY CAUSE SIGNS & SYMPTOMS OF CENTRAL NERVOUS
SYSTEM DEPRESSION SUCH AS HEADACHE, DIZZINESS, WEAKNESS AND LOSS OF
COORDINATION. VAPOR/MIST MA Y RESULT IN IRRITATION OF THE ENTIRE
RESPIRATORY TRACT. EYE: CONTACT MAY RESULT IN SEVERE EYE IRRITATION
AND POSSIBLE DAMAGE TO THE CORNEAL. REDNESS AND TEARING. SKIN:
PROLONGED OR REPEATED SKIN CONTA CT MAY RESULT IN SKIN IRRITATION
LEADING TO DERMITITIS. DEFATTING OF SKIN
MAY ALSO OCCUR. INGESTION:
INGESTION OF THIS PRODUCT MAY RESULT IN GASTROINTESTINAL
IRRITATION, HEADACHE, NAUSEA, VOMITING AND DIARRHEA. CHRONIC
EFFECTS: NONE KNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN/

===== First Aid Measures =====

First Aid:EYE: REMOVE CONTACT LENSES IMMEDIATELY. FLUSH EYES WITH
PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET IMMEDIATE MEDICAL
ATTENTION. SKIN: WASH SKIN WITH PLENTY OF WATER. REMOVE
CONTAM

INATED CLOTHING AND WASH BEFORE REUSE. GET MEDICAL ATTENTION IF NEEDED. INHALTION: REMOVE TO FRESH AIR. GIVE OXYGEN OR CPR IF NECESSARY. GET IMMEDIATE MEDICAL ATTENTION. INGESTION: DO NOT GIVE ANYTHING BY MOUTH TO AN UN CONSCIOUS OR CONVULSING PERSON. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>93.3C, 200.F
Autoignition Temp:Autoignition Temp Text:N/E
Lower Lim
its:2.0
Upper Limits:12.7
Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER.
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS
Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE EMITTED IF MATERIAL IS EXPOSED TO EXTREME TEMPERATURES.

===== Accidental Release Measures =====

Spill Release Procedures:KEEP UNNECESSARY PEOPLE AWAY. SPILLS ARE SLIPPERY. DIKE AND CONTAIN WITH INERT ABSORBENT MATERIAL., COLLECT FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL WELL VENTILATED AREA AWAY FROM SPARK, HEAT AND OPEN FLAME.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF-CONTAINED AIR MASK IN CLOSED ROOMS.
Ventilation:GOOD VENTILATION SHOULD BE MAINTAINED.
Protective Gloves:NEOPRENE OR RUBBER
Eye Protection:SAFETY GLASSES OR MONOGOGGLES
Other Protectiv
e Equipment:IMPREVIOUS APRON AND BOOTS. PROVIDE EMERGENCY SAFETY SHOWERS AND EYE WASH FOUNTAIN NEAR WORK AREA.
Work Hygienic Practices:DO NOT MIX THIS PRODUCT WITH OTHER CHEMICALS. TOXIC FUMES MAY BE EMITTED.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T6
Boiling Pt:>100.C, 212.F
Vapor Pres:N/E
Vapor Density:>1.00
Spec Gravity:1.005
VOC Pounds/Gallon:80
pH:7.0 +/-0.5
Evaporation Rate & Reference: