

WERTH SANITARY SUPPLY CO INC -- 100214, FRESH & CLEAN AIR FRESHENER --  
6840-01-441-4406

===== Product Identification =====

Product ID:100214, FRESH & CLEAN AIR FRESHENER

MSDS Date:03/01/2000

FSC:6840

NIIN:01-441-4406

Status Code:A

MSDS Number: CLHTP

=== Responsible Party ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Info Pho

ne Num:800-535-5053/619-440-2000

Emergency Phone Num:800-535-5053

Resp. Party Other MSDS Num.:X-5001

Preparer's Name:DS

CAGE:5T372

=== Contractor Identification ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

CAGE:5T372

===== Composition/Information on Ingredients =====

Ingred Name:ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 3.0%

OSHA PEL:980 MG/M3;4

00 PPM  
ACGIH TLV:983 MG/M3;400 PPM  
ACGIH STEL:1230 MG/M3;500 PPM

Ingred Name:QUATERNARY AMMONIUM COMPUOUNDS  
Fraction by Wt: 5.0%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Health Hazards Acute and Chronic:ACUTE: NONE KNOWN. INHALTION:  
PROLONGED EXPOSURE TO VAPORS MAY CAUSE SIGNS & SYMPTOMS OF CENTRAL  
NERVOUS SYSTEM DEPRESSION SUCH AS HEADACHE, DIZZINESS, WEAKNESS AND  
LOSS OF COORDINATION. VAPOR/MIST  
MA Y RESULT IN IRRITATION OF THE  
ENTIRE RESPIRATORY TRACT. EYE: CONTACT MAY RESULT IN SEVERE EYE  
IRRITATION AND POSSIBLE DAMAGE TO THE CORNEAL. REDNESS AND TEARING.  
SKIN: PROLONGED OR REPEATED SKIN CONTA CT MAY RESULT IN SKIN  
IRRITATION LEADING TO DERMITITIS. DEFATTING OF SKIN MAY ALSO OCCUR.  
INGESTION: INGESTION OF THIS PRODUCT MAY RESULT IN GASTROINTESTINAL  
IRRITATION, HEADACHE, NAUSEA, VOMITING AND DIARRHEA. CHRONIC  
EFFECTS: NONE KNOWN.

Effects of Overexposure:ACUT  
E: NONE KNOWN. INHALTION: PROLONGED  
EXPOSURE TO VAPORS MAY CAUSE SIGNS & SYMPTOMS OF CENTRAL NERVOUS  
SYSTEM DEPRESSION SUCH AS HEADACHE, DIZZINESS, WEAKNESS AND LOSS OF  
COORDINATION. VAPOR/MIST MA Y RESULT IN IRRITATION OF THE ENTIRE  
RESPIRATORY TRACT. EYE: CONTACT MAY RESULT IN SEVERE EYE IRRITATION  
AND POSSIBLE DAMAGE TO THE CORNEAL. REDNESS AND TEARING. SKIN:  
PROLONGED OR REPEATED SKIN CONTA CT MAY RESULT IN SKIN IRRITATION  
LEADING TO DERMITITIS. DEFATTING OF SKIN  
MAY ALSO OCCUR. INGESTION:  
INGESTION OF THIS PRODUCT MAY RESULT IN GASTROINTESTINAL  
IRRITATION, HEADACHE, NAUSEA, VOMITING AND DIARRHEA. CHRONIC  
EFFECTS: NONE KNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN/

===== First Aid Measures =====

First Aid:EYE: REMOVE CONTACT LENSES IMMEDIATELY. FLUSH EYES WITH  
PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET IMMEDIATE MEDICAL  
ATTENTION. SKIN: WASH SKIN WITH PLENTY OF WATER. REMOVE  
CONTAM

INATED CLOTHING AND WASH BEFORE REUSE. GET MEDICAL ATTENTION IF NEEDED. INHALTION: REMOVE TO FRESH AIR. GIVE OXYGEN OR CPR IF NECESSARY. GET IMMEDIATE MEDICAL ATTENTION. INGESTION: DO NOT GIVE ANYTHING BY MOUTH TO AN UN CONSCIOUS OR CONVULSING PERSON. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:>93.3C, 200.F  
Autoignition Temp:Autoignition Temp Text:N/E  
Lower Lim  
its:2.0  
Upper Limits:12.7  
Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER.  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS  
Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE EMITTED IF MATERIAL IS EXPOSED TO EXTREME TEMPERATURES.

===== Accidental Release Measures =====

Spill Release Procedures:KEEP UNNECESSARY PEOPLE AWAY. SPILLS ARE SLIPPERY. DIKE AND CONTAIN WITH INERT ABSORBENT MATERIAL., COLLECT FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL WELL VENTILATED AREA AWAY FROM SPARK, HEAT AND OPEN FLAME.  
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF-CONTAINED AIR MASK IN CLOSED ROOMS.  
Ventilation:GOOD VENTILATION SHOULD BE MAINTAINED.  
Protective Gloves:NEOPRENE OR RUBBER  
Eye Protection:SAFETY GLASSES OR MONOGOGGLES  
Other Protectiv  
e Equipment:IMPREVIOUS APRON AND BOOTS. PROVIDE EMERGENCY SAFETY SHOWERS AND EYE WASH FOUNTAIN NEAR WORK AREA.  
Work Hygienic Practices:DO NOT MIX THIS PRODUCT WITH OTHER CHEMICALS. TOXIC FUMES MAY BE EMITTED.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T6  
Boiling Pt:>100.C, 212.F  
Vapor Pres:N/E  
Vapor Density:>1.00  
Spec Gravity:1.005  
VOC Pounds/Gallon:80  
pH:7.0 +/-0.5  
Evaporation Rate & Reference: