

MAKOOR PRODUCTS CO INC -- ANTISEIZE COMPOUND MIL-PRF-907E -- 8030-00-251-3980
===== Product Identification =====

Product ID:ANTISEIZE COMPOUND MIL-PRF-907E

MSDS Date:08/01/1999

FSC:8030

NIIN:00-251-3980

Status Code:A

MSDS Number: CLJLB

=== Responsible Party ===

Company Name:MAKOOR PRODUCTS CO INC

Box:492

City:RIVERHEAD

State:NY

ZIP:11901

Country:US

Info Phone Num:631-727-4445

Emergency Phone Num:

(800)424-9300

Preparer's Name:HENRY SIMMONS

Chemtrec Ind/Phone:(800)424-9300

CAGE:TO443

=== Contractor Identification ===

Company Name:MAKOOR PRODUCTS CO INC

Box:492

City:RIVERHEAD

State:NY

ZIP:11901

Country:US

Phone:631-727-4445

CAGE:TO443

===== Composition/Information on Ingredients =====

Ingred Name:PETROLATUM

CAS:8009-03-8

RTECS #:SE6780000

= Wt:70.

Ingred Name:COPPER

CAS:7440-50-8

RTECS #:GL5325000

= Wt:20.

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3

EPA Rpt Qty:5000 LBS

DOT Rpt

Qty:5000 LBS

Ingred Name:GRAPHITE

CAS:7782-42-5

RTECS #:MD9659600

= Wt:10.

OSHA PEL:SEE TABLE Z-3

ACGIH TLV:2 MG/M3

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure:EYE CONTACT: IN CASE OF ACCIDENTAL EYE CONTACT
FLUSH WITH WARM FOR 5 TO 10 MINUTES. IF IRRITATION PERSIST GET
MEDICAL ATTENTION. SKIN CONTACT: NOT IRRITATING INHALATION: NOT
LIKELY INGESTION: NOT H ARMFUL, MAY CAUSE DIAR
RHEA.

=====
Fire Fighting Measures
=====

Flash Point:=232.2C, 450.F

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE UP AND DISPOSE AS PERMITTED BY LOCAL
ORDINANCE

=====
Handling and Storage
=====

Other Precautions:NONE REQUIRED

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF EXPOSURES EXCEED ESTABLISHED LIMITS, A
NIOS

H/MSHA APPROVED RESPIRATOR FOR ASBESTOS SHOULD BE USED.
CONSULT YOUR SAFETY OFFICE/IH PERSONNEL FOR GUIDANCE FOR THE TASK
AT HAND.

Ventilation:LOCAL EXHAUST IS RECOMMENDED IN SITUATIONS WHERE DUST IS
GENERATED BY ABRASIVE ACTIONS, ABRASION OR OTHER MEANS.

Protective Gloves:AS REQUIRED FOR TASK AT HAND.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:AS REQUIRED FOR TASK AT HAND, AND THE
GUIDANCE SET FORTH BY YOUR SAFETY OFFICE OR IH PERS

ONNEL

Work Hygienic Practices: DONOT INHALE DUST CREATED BY ABRADING ACTIONS.
USE FULL PROTECTION AGAINST AIRBORNE FIBERS. AVOID AIRBORNE DUST
CREATION

Supplemental Safety and Health

GENERIC "MSDS" CREATED FOR "NSN" IDENTIFIED BY "DISC" AS CONTAINING
ASBESTOS. WHEN A MANUFACTURER'S SPECIFIC "MSDS" IS PROVIDED FOR
MATERIAL PROCURED UNDER THIS NSN, THIS GENERIC "MSDS" WILL BE
REMOVED.

===== Physical/Chemical Properties =====

Boiling Pt: >260.C,
500.F

Spec Gravity: 1.3

Solubility in Water: INSOLUBLE

Appearance and Odor: GRAYFISH PASTE, ODOR BLAND

===== Stability and Reactivity Data =====

MAY REACT WITH STRONG ALKALIS OR STRONG ACIDS, OXIDIZING AGENTS.

Stability Condition to Avoid: MAY REACT WITH STRONG ALKALIS OR STRONG
ACIDS, OXIDIZING AGENTS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United
States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.