View NSN Online: https://aerobasegroup.com/nsn/8010-01-285-1328

FARWEST PAINT MANUFACTURING CO -- ZINC-MOLYBDATE PRIMER COATING -- 8010-01-285-1328

========= Product Identification ==============

Product ID:ZINC-MOLYBDATE PRIMER COATING

MSDS Date:04/01/1998

FSC:8010

NIIN:01-285-1328

Status Code:A

MSDS Number: CLKNK === Responsible Party ===

Company Name: FARWEST PAINT MANUFACTURING CO

Address:4522 SOUTH 133RD ST

City:TUKWILA

State:WA ZIP:98168 Country:US

Info Phone Num:206

-244-8844

Emergency Phone Num:800-424-9300 Preparer's Name:ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300

CAGE:6F266

=== Contractor Identification ===

Company Name: FARWEST PAINT MANUFACTURING CO

Address:4522 SOUTH 133RD ST

Box:City:TUKWILA

State:WA ZIP:98168 Country:US

Phone:206-244-8844

CAGE:6F266

======= Composition/Information on Ingredients ========

Ingred Name: MINERAL SPIRITS

CAS:8052-41-3

Code:F

RTECS #:WJ8925000

= Wt:19.9

OSHA PEL:2900 MG/M3;500 PPM

ACGIH TLV:525 MG/M3;100

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Effects of Overexposure:SKIN: THIS MATERIAL MAY CAUSE IRRITATION. INHALATION: EXCESSIVE EXPOSURE TO VAPORS CAN RESULT IN HEADACHE. DIZZINESS, NAUSEA AND LOSS OF CONSCIOUSNESS. EYES: THIS MATERIAL MAY BE AN EYE IRRITANT. Medical Cond Aggravated by Exposure:NONE. WHEN USED IN ACCORDANCE WITH SAFE HANDLING INSTRUCTIONS.
CALL THAT DELIVER INCTACE.
Aid Measures ====================================
First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH LARGE QUANTITIES OF WATER FOR 15 MINUTES. SWALLOWING: IF INGESTED DO NOT INDUCE VOMITING. KEEP PERSON WARM AND QUIET AND GET MEDICAL ATTENTION. INHALAT ION: REMOVE VICTIM TO FRESH AIR IMMEDIATELY.
======================================
Flash Point Method:TCC Flash Point:=40.C, 104.F Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:0.7% Upper Limi ts:6.0% Extinguishing Media:FOAM, CO2, DRY CHEMICAL, OR WATER FOG. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY RUPTURE WHEN EXPOSED TO EXTREME HEAT. WEAR SELF-CONTAINED BREATHING APPARATUS WHEN EXPOSED TO VAPORS OR PRODUCTS OF COMBUSTION. VAPORS MAY FORM EXPLOSIVE MIXTURE IN AIR AND MAY BE IGNITED BY SPARKS, PILOT LIGHTS, ETC.
======== Accidental Release Measures ==========
Spill Release Procedur es:VERMICULITE OR SAND PLACE MATERIAL INTO A CLOSED CONTAINER.
=========== Handling and Storage ============
Handling and Storage Precautions:DO NOT GET IN EYES. ON SKIN OR CLOTHING. KEEP CONTAINERS CLOSED WHEN NOT IN USE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: A CANISTER TYPE RESPIRATOR.

PPM

Respiratory Protection: A CANISTER TYPE RESPIRATOR.

Ventilation: GENERAL VENTILATION IS REQUIRED DURING NORMAL USE.

Protective Gloves: CHEMICAL RESISTANT NITRILE, NEOPRENE OR RUB

REQUIRED. Eye Protection:WEAR FACE SHIELD OR CHEMICAL GOGGLES.
Other Protective Equipment:WEAR PROTECTIVE CLOTHING TO PREVENT SKIN
CONTACT. Work Hygienic Practices:WASH HANDS BEFORE EATING OR SMOKING.
PRECAUTIONS
Supplemental Safety and Health
========= Physical/Chemical Properties ===========
Boiling Pt:B.P. Text:307-387 F Melt/Freeze Pt:M.P/F.P Text:NONE Decomp Temp:Decomp Text:NONE Vapor Pres:2.6 MMHG@20C Vapor Density:HEAVIER VOC Pounds/Gallon:329 V
iscosity:75-91 KU Evaporation Rate & Reference:SLOWER THAN ETHER Solubility in Water:NIL Appearance and Odor:YELLOW VISCOUS LIQUID, MILD ODOR Percent Volatiles by Volume:45.55%
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH STRONG OXIDANTS, ACIDS, BASES. Stability Condition to Avoid:HEAT, SPARKS AND OPEN FLAME. Hazardous Decomposition Products:INCOMPLETE COMBUSTION CAN YIELD CARBON MONOXIDE AND TOXIC VAP ORS.
Conditions to Avoid Polymerization:WILL NOT OCCUR.
======================================
Toxicological Information:NA
======================================
Ecological:AVOID DISCHARGE TO NATURAL WATERS.
========= Disposal Considerations ==============
Waste Disposal Methods:DISPOSAL OF THIS MATERIAL OR ITS CONTAINERS

BER GLOVES

Waste Disposal Methods:DISPOSAL OF THIS MATERIAL OR ITS CONTAINERS REQUIRES COMPLIANCE WITH APPLICABLE LABELING, PACKAGING AND RECORDKEEPING STANDARDS.

SARA Title III Information:PURSUANT TO TITTLE THREE OF THE SUPERFUND
AMMENDMENT AND REAUTHORIZATION ACT OF 1986 (SARA) AND 40 CFR PART
372, THIS PRODUCT CONTAINS, OR MAY CONTAIN A TOXIC CHEMICAL IN THE
QUANTITY SUBJECT TO THE R EPORTING REQUIREMENTS UNDER SECTION 31
Federal Regulatory Information: US POSTAL REGULATIONS: NON-HAZARDOUS,
NON-FLAMMABLE, OKAY TO SHIP BY MAIL.

======== Regulatory Information ===============

======	=======================================	Other	Info
rmation	===========	=====	=

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this inform ation to their particular situation.