

CHEMENCE INC -- RITE-LOK TL22-10 MIL-S-46163A TY 2 GR M (10 CC) -- 8030-01-054-3968

=====
Product Identification
=====

Product ID:RITE-LOK TL22-10 MIL-S-46163A TY 2 GR M (10 CC)

MSDS Date:11/14/1997

FSC:8030

NIIN:01-054-3968

Status Code:A

MSDS Number: CLLPR

=== Responsible Party ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Info Phone Num:

404-664-6624

Emergency Phone Num:1-800-424-9300

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:0ZDS4

=== Contractor Identification ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Phone:404-664-6624

CAGE:0ZDS4

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYGLYCOL DIMETHACRYLATE

CAS:25852-47-5

Code:F

= Wt:78.

Ingred Name:BISPRENOL A RUMARATE

CAS:39382-25-7

Code:F

= Wt:15.

Ingred N

ame:CUMENE HYDROPEROXIDE

CAS:80-15-9

RTECS #:MX2450000

= Wt:3.

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:SACCHARIN

= Wt:3.

Ingred Name:N,N-DIALKYL TOLUIDINE

CAS:613-48-9

Code:F

= Wt:1.

=====
===== Hazards Identification =====

Effects of Overexposure:PROLONGED SKIN CONTACT MAY RESULT IN DERMATITIS
IN SENSITIVE PERSONS. WILL IRRITATE
EYES ON CONTACT.

Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

=====
=====

First Aid:WASH WITH SOAP AND WATER FOR SKIN CONTACT. FOR EYE CONTACT,
FLUSH WITH PLENTY OF
WATER. FOR INGESTION, DO NOT INDUCE VOMITING. CONTACT PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=100.C, 212.F

Autoignition Temp:Autoignition Temp Text:NONE

Lower Limits:NONE

Upper Limits:NONE

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER.

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/E

xplosion Hazard:IRRITATING ORGANIC VAPORS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH INERT ABSORBENT.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE AND OUT OF
DIRECT SUNLIGHT.

Other Precautions:KEEP AWAY FROM CHILDREN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventil

ation:ENSURE ADEQUATE ROOM VENTILATION FOR COMFORTABLE WORKING
CONDITIONS.

Protective Gloves:POLYETHYLENE OR RUBBER GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:BARRIER CREAMS RECOMMENDED.

Work Hygienic Practices:NONE

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

Boiling Pt:=204.4C, 400.F

Melt/Freeze Pt:M.P/F.P Text:NONE

Decomp Temp:Decomp Text:NONE

Vapor Pres:01 (MM HG.)

Vapor Density:1.01

Spec Gravity:1.1 (H

20=1)

VOC Pounds/Gallon:133

Viscosity:900-5000

Evaporation Rate & Reference:VERY LOW

Solubility in Water:INSOLUBLE.

Appearance and Odor:PURPLE, MILD ORGANIC ODOR.

Percent Volatiles by Volume:12.0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTAMINATION.

Stability Condition to Avoid:TEMPERATURES IN EXCESS OF 150 DEGREES F.

Conditions to Avoid Polymerization:MAY OCCUR.

===== Ecological Information =

=====

Ecological:MARINE POLLUTANT: NONE.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR INCINERATE IN ACCORDANCE WITH EPA
AND LOCAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:THIS PRODUCT IS NOT REGULATED AND UNRESTRICTED
PER DOT, IMDG, IATA, AND USPS.

Disclaimer (provided with this information by the compiling agencies):

This information is formula

ted for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.