

DOW CORNING CORP -- Q4-2805 FLUOROSILICONE CHANNEL SEALANT -- 8030-01-043-2295  
===== Product Identification =====

Product ID:Q4-2805 FLUOROSILICONE CHANNEL SEALANT

MSDS Date:08/25/1993

FSC:8030

NIIN:01-043-2295

Status Code:A

MSDS Number: CLLSF

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Info Phone Num:51

7-496-6000/517-496-6315

Emergency Phone Num:517-496-5900

Preparer's Name:ERNEST CARTER

Chemtec Ind/Phone:(800)424-9300

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

===== Composition/Information on Ingredients =====

Ingred Name:STYRENE-DIVINYLBENZENE-ETHYLSTYRENE POLYMER

CAS:009052-95-3

= Wt:15.

Ingred Name:TRIMETHYLATED S

ILICA  
CAS:068909-20-6  
&lt; Wt:7.

Ingred Name:STYRENE  
CAS:000100-42-5  
= Wt:.7

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE  
Health Hazards Acute and Chronic:NONE  
Effects of Overexposure:EYE: DIRECT EYE CONTACT MAY CAUSE TEMPORARY DISCOMFORT WITH MILD REDNESS AND DRYNESS SIMILAR TO WINDBURN. SKIN: A SINGLE PROLONGED EXPOSURE (24 TO 48 HOURS) CAUSES NO KNOWN ADVERSE EFFECT. INHALATION: DUST MAY IRRITATE NOSE AND THROAT. ORAL: SMALL A MOUNTS TRANSFERRED TO THE MOUTH BY FINGERS DURING USE, ETC. SHOULD NOT INJURE. SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT.  
Medical Cond Aggravated by Exposure:NONE

=====  
First Aid Measures  
=====

First Aid:EYE: FLUSH WITH WATER.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:=100.C, 212.F  
Autoignition Temp:Autoignition Temp Text:NONE  
Lower Limits:NONE  
Upper Limits:NONE  
Extinguishing Media:CARBON DIOXIDE (CO2). WATER. WATER FOG (OR SPRAY). DRY CHEMICAL. FOAM.  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES. INVOLVING CHEMICALS. EVACUATE AREA IN CASE OF OVERHEATING OR FIRE.  
Unusual Fire/Explosion Hazard:SILICON DIOXIDE. CARBON OXIDES AND TRACES OF INCOMPLETELY BURNED CARBON COMPOUNDS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:DISPOSA

L OF COLLECTED PRODUCT, ERSIDUES, AND  
CLEAN UP MATERIALS MAY BE GOVERNMENTALLY REGULATED. OBSERVE ALL  
APPLICABLE LOCAL, STATE, AND FEDERAL WASTE MANAGEMENT REGULATIONS.  
SCRAPE UP AND CONTAIN FO R SALVAGE OR DISPOSAL. OBSERVE ALL  
PERSONAL PROTECTION EQUIPMENT RECOMMENDATIONS DESCRIBED IN SECTIONS  
5 AND 8. LOCAL, STATE, AND FEDERAL REPORTING REQUIREMENTS MAY APPLY  
TO SPILLS OR RELEASES OF THIS

=====  
===== Handling and Storage =====

Other Preca  
utions:

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE RESPIRATORY PROTECTION UNLESS ADEQUATE LOCAL  
EXHAUST VENTILATION IS PROVIDED OR AIR SAMPLING DATA SHOW EXPOSURES  
ARE WITHIN RECOMMENDED EXPOSURE GUIDELINES. INDUSTRIAL HYGIENE  
PERSONNEL CAN ASSIS T IN JUDGING THE ADEQUACY OF EXISTING  
ENGINEERING CONTROLS.

Ventilation:LOCAL EXHAUST

Protective Gloves:WASHING AT MEALTIME AND END OF SHIFT IS ADEQUATE.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE

Work Hygienic Practices:NONE

Supplemental Safety and Health

NONE

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NONE

Melt/Freeze Pt:M.P/F.P Text:NONE

Decomp Temp:Decomp Text:NONE

Spec Gravity:@ 25 C: 1.36

Appearance and Odor:PASTE WHITE SLIGHT ODOR

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL CAN CAUSE A REACTION

Stability Conditio

n to Avoid:NONE

Hazardous Decomposition Products:SILICON DIOXIDE,. CARBON OXIDES AND TRACES OF INCOMPLETELY BURNED CARBON COMPOUNDS. FLUORINE COMPOUNDS. FORMALDEHYDE.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:

=====  
===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.