

MFR UNKNOWN/DEFENSE INDUSTRIAL SUPPLY CTR PROCURED -- GASKET -- 5330-00-171-6945  
===== Product Identification =====

Product ID:GASKET  
MSDS Date:10/25/2001  
FSC:5330  
NIIN:00-171-6945  
Status Code:A  
MSDS Number: CLPDT  
=== Responsible Party ===  
Company Name:MFR UNKNOWN/DEFENSE INDUSTRIAL SUPPLY CTR PROCURED  
Address:700 ROBBINS AVENUE  
City:PHILADELPHIA  
State:PA  
ZIP:19111-5096  
Country:US  
Info Phone Num:2  
15-697-2000  
Preparer's Name:DOD HMIS-VBA  
CAGE:JO772  
=== Contractor Identification ===  
Company Name:DEFENSE INDUSTRIAL SUPPLY CENTER  
Address:NONE  
Box:City:PHILADELPHIA  
State:PA  
ZIP:19111-5096  
Country:US  
Phone:215-697-2000  
Contract Num:DLA500-91-A-A865-0714  
CAGE:14153  
Company Name:MFR UNKNOWN/DEFENSE INDUSTRIAL SUPPLY CTR PROCURED  
Address:700 ROBBINS AVENUE  
Box:3990  
City:PHILADELPHIA  
State:PA  
ZIP:19111-5096  
Country:US  
Phone:215-697-2000  
CAGE:JO772

===== Composition/Information on Ingredi

ents =====

Ingred Name:ASBESTOS, CHRYSOTILE  
CAS:12001-29-5  
RTECS #:CI6478500  
OSHA PEL:0.2 FIBERS/CC  
ACGIH TLV:2 FIBERS/CC; A1;9192

Ingred Name:RUBBER NATURAL OR RUBBER SYNTHETIC

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:ACUTE: NO ACUTE EFFECTS ARE KNOWN;  
CHRONIC: DUST FROM ABRASIVE ACTIONS (E.G., CUTTING, MA  
CHINING,  
FILING, ETC.) MAY CONTAIN ASBESTOS FIBERS. CHRONIC OVEREXPOSURE TO  
AIRBORNE FIBERS MAY LEAD TO ASBESTOSIS & MESOTHELIOMA. SMOKING  
COMBINED W/FIBER INHALATION GREATLY INCREASES LUNG CANCER RISK!  
Explanation of Carcinogenicity:OVEREXPOSURE TO AIRBORNE CONCENTRATIONS  
OF ASBESTOS MAY LEAD TO ASBESTOSIS AND MESOTHELIOMA.  
Effects of Overexposure:INHAL: INHALATION OF AIRBORNE DUST CONTAINING  
ASBESTOS FIBERS ON REPEATED EXPOSURE MAY CAUSE OR CAN LEAD TO  
ASBESTOSIS  
/ MESOTHELIOMA; SKIN: N/K; EYE: POTENTIAL IRRITATION  
FROM AIRBORNE DUST; INGEST: N/K.  
Medical Cond Aggravated by Exposure:RESPIRATORY DEFICIENCIES DUE TO  
REPEATED INHALATION OF AIRBORNE FIBERS.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ADVICE;  
SKIN: WASH EXPOSED AREA WITH SOAP & WATER. EYE: FLOOD W/ WATER. IF  
IRRITATION OCCURS, GET MEDICAL ATTN; INGEST: CONSULT A  
PHYSICIAN. CHANGE C  
LOTHING AS REQUIRED TO AVOID CARRYING DUST  
PARTICLES INTO OTHER AREAS

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:MATERIAL IS NOT FLAMMABLE; USE MEDIA APPROPRIATE  
FOR SURROUNDING FIRE.  
Fire Fighting Procedures:COMBUSTION PRODUCTS OF THIS MATERIAL MAY BE  
TOXIC. USE A SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES  
INVOLVING CHEMICAL PRODUCTS.  
Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accide

ntal Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION. VACUUM OR WET CLEAN IF DUST IS INVOLVED. VACUUM SYSTEM SHOULD BE EQUIPPED W/ AN OUTLET "HEPA" FILTER TO PREVENT REINTRODUCING ASBESTOS FIBERS TO THE ATMOSPHERE.

===== Handling and Storage =====

Handling and Storage Precautions:HANDLE IN A MANNER TO MINIMIZE FORMATION OR RETENTION OF AIRBORNE DUST. USE PROPER PERSONAL PROTECTION FOR TASK AT H AND. CHECK W/YOUR SAFETY OFFICE!!!

Other Precautions:AS MANUFACTURED, LOCKED-IN ASBESTOS DOES NOT PRESENT A HAZARD. ONLY WHEN THE ITEM IS SUBJECTED TO ABRASIVE ACTIONS & DUST IS GENERATED, THEN ASBESTOS FIBERS MAY BE RELEASED & BECOME AIRBORNE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURES EXCEED ESTABLISHED LIMITS, A NIOSH/MSHA APPROVED RESPIRATOR FOR ASBESTOS SHOULD BE USED. CONSULT YOUR SAFETY OFFICE / IH PERSONNEL FOR GUIDANCE FOR THE TASK AT HAND.

Ventilation:LOCAL EXHAUST IS RECOMMENDED IN SITUATIONS WHERE DUST IS GENERATED BY ABRASIVE ACTIONS, ABRASION OR OTHER MEANS.

Protective Gloves:AS REQUIRED FOR TASK AT HAND.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:AS REQUIRED FOR TASK AT HAND, AND THE GUIDANCE SET FORTH BY YOUR SAFETY OFFICE OR IH PERSONNEL

Work Hygienic Practices:DO NOT INHALE DUST CREATED BY ABRASING ACTIONS. USE FULL PROTECTIO

N AGAINST AIRBORNE FIBERS. AVOID AIRBORNE DUST CREATION

Supplemental Safety and Health

GENERIC "MSDS" CREATED FOR "NSN" IDENTIFIED BY "DISC" AS CONTAINING ASBESTOS & RUBBER (NATURAL OR SYNTHETIC).

===== Physical/Chemical Properties =====

HCC:T6

Evaporation Rate & Reference:NONE

Solubility in Water:NOT SOLUBLE

Appearance and Odor:SOLID SINGLE OR COMPOSTION, NON-METALLIC MATERIAL

Percent Volatiles by Volume:NONE

===== Stability and Reactivity

Data =====

Stability Indicator/Materials to Avoid: YES  
NONE KNOWN  
Stability Condition to Avoid: NONE KNOWN

===== Toxicological Information =====

Toxicological Information: PER ACGIH, ASBESTOS IS A CONFIRMED HUMAN CARCINOGEN.

===== Disposal Considerations =====

Waste Disposal Methods: DUST SHOULD BE HANDLED AS A HAZARDOUS AIR POLLUTANT I/A/W 40CFR61 SUBPART "M" PERTAINING TO ASBESTOS. USE LANDFILLS APPROVED FOR ASBESTOS DISPOSAL. NOTE IF ITEM UNDER CONSIDERATION FOR DISPOSAL IS "FRIABLE OR NON-FRIABLE".

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.