

DEXTER CORP THE HYSOL DIV -- EPK 0151 PART B -- 8030-00-496-9275

=====
Product Identification
=====

Product ID:EPK 0151 PART B
MSDS Date:02/09/1998
FSC:8030
NIIN:00-496-9275
Status Code:A
MSDS Number: CLPGH
=== Responsible Party ===
Company Name:DEXTER CORP THE HYSOL DIV
Address:1 DEXTER DR
City:SEABROOK
State:NH
ZIP:03874
Country:US
Info Phone Num:603-474-5541
Emergency Phone Num:1-800-424-9300
Preparer's Name:ERNEST CARTER
Chemtrec Ind/Phone:(800)424-9300
CAGE:1JB33
=== Contractor Identification ===
Company Name:DEXTER CORP THE HYSOL DIV
Address:1 DEXTER DR
Box:City:SEABROOK
State:NH
ZIP:03874
Country:US
Phone:603-474-5541/FAX: 603-474-5545
CAGE:1JB33

=====
Composition/Information on Ingredients
=====

Ingred Name:TRIETHYLENETETRAMINE
CAS:112-24-3
RTECS #:YE6650000
Minumum % Wt:10.
Maxumum % Wt:30.

Ingred Name:REACTIVE POLYAMIDE
CAS:68410-23-1
Code:F
Minumum % Wt:6

0.
Maxumum % Wt:100.

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:EYES: MAY CAUSE PAIN. MAY CAUSE SEVERE IRRITATION WITH CORNEAL INJURY WHICH MAY RESULT IN PERMANENT IMPAIRMENT OF VISION, EVEN BLINDNESS. SKIN CONTACT: SHORT SINGLE EXPOSURE MAY CAUSE SEVERE SKIN BUR NS. HAS CAUSED ALLERGIC REACTIONS IN HUMANS . DOT CLASSIFICATION: CORROSIVE. SKIN ABSORPTION: A S
INGLE PROLONGED EXPOSURE MAY RESULT IN THE MATERIAL BEING ABSORBED IN HARMFUL AMOUNTS. THE LD 50 FOR SK IN ABSORPTION IN RABBITS IS 800 MG/KG. INHALATION: MAY CAUSE RESPIRATORY SENSITIZATION IN SUSCEPTIBLE INDIVIDUALS. EXCESSIVE EXPOSURE MAY CAUSE IRRITATION TO UPPER RESPIRATORY TRACT. INGESTION: SINGLE DOSE ORAL TOXICITY IS LOW.
Effects of Overexposure:EYES: CAN CAUSE SEVERE EYE IRRITATION OR BURNS. MAY CAUSE PERMANENT VISUAL IMPAIRMENT. SKIN: CAUSES SEVERE SKIN IRR
ITATION OR BURNS. NOT CONSIDERED TOXIC BY SKIN ABSORPTION BUT PROLONGED EXPOSURE MAY CAUSE ABSORPTION OF HARMFUL AMOUNTS. INHALATION: MAY CAUSE IRRITATION TO UPPER RESPIRATORY TRACT. AVOID PROLONGED OR REPEATED INHALATION. INGESTION: MAY CAUSE GASTROINTESTINAL IRRITATION OR ULCERATION . MAY CAUSE BURNS OF MOUTH AND THROAT. OTHER: POLYETHYLENE AMINES ARE SUSPECTED MUTAGENS. NO EFFECTS OF CHRONIC EXPOSURE OR TARGET ORGAN EFFECTS ARE KNOWN. NO EXPOSURE LIMITS HAVE BEEN
ESTABLISHED FOR THIS
PRODUCT AS FORMULATED.
Medical Cond Aggravated by Exposure:PREEXISTING SKIN AND EYE DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. PREEXISTING SKIN OR LUNG ALLERGIES MAY INCREASE THE CHANCE OF DEVELOPING INCREASED ALLERGY SYMPTOMS FROM EXPOSURE TO THI

=====
First Aid Measures
=====

First Aid:EYES: WITH FLOWING WATER FOR AT LEAST 30 MINUTES IS IMPERATIVE. PROMPT MEDICAL CONSULTATION IS ESSENTIAL.SKIN: FLUS

H

SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF WATER OR MILK IF AVAILABLE. TRANSPORT TO MEDICAL FACILITY. INHALATION: REMOVE TO FRESH AIR IF EFFECTS OCCUR. CALL A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:CALC

Flash Point:=129.4C, 265.F

Extinguishing Media:CARBON

DIOXIDE, DRY CHEMICAL FOR SMALL FIRES. FOAM FOR LARGE FIRES.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CLEANUP AND DISPOSAL SHOULD BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY SEALED.

Other Precautions:AVOID SKIN AND EYE CONTACT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:FRESH AIR MASK IN CONFINED SPACES.

Ventilation:LOCAL EXHAUST PREFERRED.

Protective Gloves:RUBBER OR PLASTIC.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:SAFETY SHOWER AND EYE BATH.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boiling Pt:=260.C, 500.F

Vapor Pres: