View NSN Online: https://aerobasegroup.ae/nsn/9150-00-235-9064

Product ID:IMP-EP-TURBINE OIL, MIL-L-17331H & AM-1, 2190 TEP MSDS Date:09/23/1999 FSC:9150 NIIN:00-235-9064 Status Code:A MSDS Number: CLPSY === Responsible Party === Company Name: IMPERIAL OIL CO., INC. Address:ORCHARD PLACE Box:279 City:MORGANVILLE State:NJ ZIP:07751 Co untry:US Info Phone Num:201-591-9400 - RICHARD ROBINSON Emergency Phone Num:908-591-9400/FAX -8825 CAGE:58563 === Contractor Identification === Company Name: IMPERIAL OIL CO INC Address: FOOT OF ORCHARD PL Box:279 City:MORGANVILLE State:NJ ZIP:07751 Country:US Phone:732-591-9400/FAX: 732-591-8825 CAGE:58563 Company Name: MARINE OIL SERVICES INC Address:71 RADER ST Box:City:NORFOLK State:VA ZIP:23510-1012 Country:US CAGE:4P459

In

gred Name: LUBE OIL BASE STOCK CAS:64741-88-4 RTECS #:PY8040501 > Wt:99. Other REC Limits:NONE RECOMMENDED Ingred Name: "PROPRIETARY" ADDITIVES (PER MSDS: LZ857, EXXON CHEM COREXIT "C") <: Wt:1. Other REC Limits:NONE RECOMMENDED LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Health Hazards Acute and Chronic:WHILE THIS PRODUCT MAY IRRITATE THE SKIN FROM PROLONGED SKIN CONTACT, THERE IS NO MEDICAL OR TOXICOLOG ICAL EVIDENCE THAT IT'S AN IRRITANT, A CORROSIVE OR A CARCINOGEN. IT HAS LOW ORDER OF ORAL/DERMAL TOXICITY. INHALATION OF PRODUCT MIST MAY CAUSE PULMONARY PROBLEMS WHICH, AS WITH ANY ILLNESS, IF LEFT UNATTENDED, SHOULD CAUSE PULMONARY INJURY. Explanation of Carcinogenicity:NO AVAILABLE DATA. N Effects of Overexposure: FROM HUMAN EXP. & THE AVAILABLE TECHNICAL DATA CONCERNING THGIS PRODUCT & DUE TO ITS LOW ORDER OF DERMAL, ORAL & INGESTIVE TOXICITY, THE SIGNS & SYMPTOMS OF O VER EXPOSURE ARE UNKNOWN. Medical Cond Aggravated by Exposure: DIRECT CONTACT W/EYES MAY CAUSE EYE IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE SKIN IRRITATION. First Aid: IF SWALLOWED DO NOT INDUCE VOMIT. CALL PHYSICIAN IMMED. IF SPLASHED INTO EYES PURGE WITH COPIOUS AMOUNTS OF WATER. IN CASE OF SKIN CONTACT CLEANSE WITH WATERLESS SOAP FOLLOWED BY THOROUGH WASHING WI TH SOAP & WATER. _____ Flash Point Method:COC Flash Point:=226.7C, 440.F Autoignition Temp:Autoignition Temp Text:NP Lower Limits:NP Upper Limits:NP Extinguishing Media: CARBON DIOXIDE, WATER FOG, FOAM OR DRY CHEMICAL. Fire Fighting Procedures:WEAR MESA/NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. USE WATER SPRAY TO COOL EXPOSED TANKS, DRUMS & PERSONNEL.

Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures:CONTAIN SPILLED MATL W/SAND/EARTH/CLAY/OTHER SUITABLE DIKING MATERIAL. RECOVER FREE LIQUID BY PUMPING INTO DRUMS/OTHER SUITABLE CONTAINERS. CLEAN AREA W/RAGS OR OTHER ABSORBING MATERIALS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: THESE LUBRICANT BECOME VERY VISCOUS WHEN STORED @LOW TEMPS. IT CONGEALS @-12C -32C. USE PRODUCT W/CAUTION AROU

ND OPEN FLAMES/HEAT/SPARKS/PILOT LIGHTS/STATIC ELECTRICITY.

Other Precautions: EMPTY CNTNR WARNING: EMPTY CNTNRS RETAIN RESIDUE(LIQ/VAP)-DANGEROUS. DON'T PRESSURIZE/ CUT /WELD /BRAZE/ SOLDER/ DRILL/ EXPOSE CONTNRS TO HEAT/FLAME/SPARKS/OTHER SOURCES OF IGNITION. DON'T ATTEMPT TO CLEAN-RESIDUE DIFFICUTL TO REMOVE. EMPTY DRUMS (SEE SUPPLE)

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CO

NFINED OR ENCLOSED SPACES IF NEEDED.

Protective Gloves: IMPERVIOUS NEOPRENE, RUBBER OR PLASTIC.

Eye Protection: SPLASH GOGGLES.

=

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: MINIMIZE BREATHING VAP/MIST/FUMES. REMOVE

CONTAMIN CLOTHING; LAUNDER/DRY CLEAN BEFORE REUSE. OIL SOAKED SHOES SHOULD BE DISCARDED

Supplemental Safety and Health

OTHER PRECAUT: SHOULD BE COMPLETELY DRAINED/PROPERLY BUNGED/PROMPTLY RETURENED TO DRUM RECONDITIONER. ALL OTHER CNTNRS S HOULD BE

DISPOSED OF IN ENVIRO SAFE MANNER & IAW LOCAL/STATE/FED REGS.

HCC:V6 Boiling Pt:=600.C, 1112.F Melt/Freeze Pt:M.P/F.P Text:0 Decomp Temp:Decomp Text:NP Vapor Pres:1MM @20C Vapor Density:1 Spec Gravity:1 pH:NP Viscosity:NP Evaporation Rate & amp; Reference:1, (N-BUTYL ACETATE=1) Solubility in Water:0 Appearance and Odor:AMBER COLOR, NO ODOR. Percent Volatiles by Volume:NP Corrosion Rate:NP lity and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES KEEP AWAY FROM STRONG ACIDS, ALKALIES & OXIDIZERS. Stability Condition to Avoid:KEEP AWAY FROM EXTREME HEAT & OPEN FLAME. Hazardous Decomposition Products:WHEN BURNING NITRIC ACID, CARBON MONOXIDE, & DIOXIDE, DENSE CARBONACEOUS SMOKE.

Waste Disposal Methods:INCINERATE IN APPROVED EQUIPMENT OR LANDFILL CONTAMIN DIKING MATERIAL ACCORD ING TO CURRENT LOCAL, STATE & FEDERAL REGULATIONS.THIS APPLIES TO UNRECOVERABLE LIQUID AS WELL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.