View NSN Online: https://aerobasegroup.com/nsn/8030-01-044-5034

Product ID:GRAPHITE/PETROLATUM MIL-T-5544

MSDS Date:03/31/1996

FSC:8030

NIIN:01-044-5034

Status Code:A

MSDS Number: CLQVQ === Responsible Party ===

Company Name: RALRUBE INC.

Address:36977 FOX GLEN City:FARMINGTON HILLS

State:MI ZIP:48331 Country:US

Info Phone Num:248-661-0260, FAX 248-661-3941

Fm

ergency Phone Num:800-663-4057 Preparer's Name:ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300

CAGE:6X798

=== Contractor Identification === Company Name:RALRUBE INC. Address:36977 FOX GLEN

Box:City:FARMINGTON HILLS

State:MI ZIP:48331 Country:US

Phone:248-661-0260, FAX 248-661-3941

CAGE:6X798

======= Composition/Information on Ingredients ========

Ingred Name: GRAPHITE

CAS:7782-42-5

RTECS #:MD9659600

= Wt:50.

OSHA PEL:SEE TABLE Z-3

ACGIH TLV:2 MG/M3

Ingred Name:PETROLATUM

CAS:8009-0

=========== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER. INHALATION: CALL A PHYSICIAN. INGESTION: CALL A PHYSICIAN.
======================================
First Aid:EYES: WASH WITH WATER FOR 15 MINUTES. SKIN: WASH WI TH SOAP AND WATER. INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING IF NECESSARY. CALL PHYSICIAN. INGESTION: INDUCE VOMITING. CALL PHYSICIAN.
======================================
Flash Point:>204.4C, 400.F Extinguishing Media:CO2, DRY CHEMICAL, FOAM.
=========== Handling and Storage =============
Other Precautions:
====== Exposure Controls/Personal Protection ========
Ventilation:IN ACCORDANCE WITH GOOD INDUS TRIAL HYGIENE PRACTICE, ENSURE ADEQUATE VENTILATION DURING INSTALLATION. Supplemental Safety and Health PROTECTIVE CLOTHING AND EQUIPMENT: TO BE BASED ON THE OPERATION PERFORMED, FOLLOWING OSHA, ANSI, AND NIOSH GUIDELINES.
========= Physical/Chemical Properties ==========
Spec Gravity:1.328 Solubility in Water:INSOLUBLE Appearance and Odor:DARK GRAY
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NK

3-8

= Wt:50.

RTECS #:SE6780000

Hazardous Decomposition Produc	cts:CARBON DIOXIDE,	CARBON MONOXIDE AND
LOW MOLECULAR WEIGHT	HYDROCARBONS.	

=======================================	Disposal Considerations	
---	-------------------------	--

Waste Disposal Methods:

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all

liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.