View NSN Online: https://aerobasegroup.com/nsn/8030-00-560-8759

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 1900 PART B -- 8030-00-560-8759

Product ID:CS 1900 PART B MSDS Date:06/26/1998

FSC:8030

NIIN:00-560-8759

Status Code:A

Kit Part:Y

MSDS Number: CLQYL === Responsible Party ===

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num:818-982-

1650

Emergency Phone Num:(800)424-9300 Preparer's Name:HENRY SIMMONS Chemtrec Ind/Phone:(800)424-9300

CAGE:14439

=== Contractor Identification ===

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949 Country:US

Phone:818-982-1650

CAGE:14439

======= Composition/Information on Ingredients ========

Ingred Name:2-PROPANOL

CAS:67-63-0

RTECS #:NT8050000

= Wt:20.

OSHA PEL:980 MG/M3;400 PPM ACGIH TLV:983 MG/M3;400 PPM

ACGIH

Ingred Name:2,4,6 (DIMETHYLAMINO METHYL) PHENOL DMP-30
CAS:90-72-2
RTECS #:SN3500000
= Wt:5.
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN RASH MAY OCCUR WITH OVER EXPOSURE FOR A SHORT TERM. DERMATITIES, MAY OCCUR WITH PROLONGED EXPOSURE Effects of Overexposure:REDNESS AND ITCHING. Medical Cond Ag gravated by Exposure:DERMATITIS. ASTHMA
======================================
First Aid:EYE CONTACT - FLUSH WITH WATER FOR 15 MINUTES, CONTACT PHYSICIAN. SKIN- WASH WITH SOAP AND WATER. INGESTION -CONTACT PHYSICIAN
======================================
Flash Point Method:TCC Flash Point:=65.6C, 150.F Lower Limits:2.0
Upper Limits:12.0 Extinguishing Media:DRY CHEMICAL, CO2, FOAM, WATER Fire Fighting Procedures:IN CONFINED A
REAS USE SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE KNOWN
======== Accidental Release Measures ==========
Spill Release Procedures:COVER WITH ABSORBENT OF SAND OR SAND, SCOOP INTO CONTAINER. CLEAN UP RESIDUE WITH 1,1,1, TRICHLORO ETHANE.
============ Handling and Storage ==============
Handling and Storage Precautions:KEEP CONTAINER CLOSED. STORE IN COOL DRY AREA OUT OF SUNLIGHT. Other Precautions:DO NOT INGEST. W

STEL:1230 MG/M3;500 PPM

ASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF TLB IS EXCEEDED USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR Ventilation:LOCAL EXHAUST: VENT OR HOOD, MECHANICAL FAN Protective Gloves: RUBBER Eye Protection: SAFETY GLASSES Other Protective Equipment: ADEQUATE TO AVOID EXCESSIVE CONTACT. Work Hygienic Practices: TRAIN PERSONNEL IN SAFE HANDLING OF THIS PRODUCT, BEFORE USE Su pplemental Safety and Health ======== Physical/Chemical Properties ============ Boiling Pt:=82.2C, 180.F Melt/Freeze Pt:M.P/F.P Text:LIQUID AT ROOM TEMPERATUR Vapor Pres:30 Vapor Density:2.1 Spec Gravity: 1.01 VOC Pounds/Gallon:200 pH:8.5 Viscosity:10 Evaporation Rate & Dr.; Reference: 2.4 Solubility in Water:MODERATE Appearance and Odor: AMBER COLOR, AMINE ODOR Percent Volatiles by Volume:30 ======== Stability and Reactivity Data =========== Stability Indicato r/Materials to Avoid:YES ISOCYANATE, EPOXIES, STRONG ACIDS AND BASES. Stability Condition to Avoid: EXCESSIVE HEAT Hazardous Decomposition Products: OXIDES OF CARBON, NITROGEN AND SULFUR.

======== Disposal Considerations =============

Waste Disposal Methods: REACT WITH BASE MATERIAL AND DISPOSE AS HAZARDOUS WASTE ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for u

se by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.