View NSN Online: https://aerobasegroup.ae/nsn/6810-00-281-7453

D.F.GOLDSMITH CHEMICAL & METAL CORP. -- MERCURY (METALLIC MERCURY) (QUICK SILVER) -- 6810-00-281-7453

Product ID:MERCURY (METALLIC MERCURY) (QUICK SILVER) MSDS Date:09/01/1990 FSC:6810 NIIN:00-281-7453 **MSDS Number: BDTCN** === Responsible Party === Company Name: D.F.GOLDSMITH CHEMICAL & METAL CORP. Address:909 PITNER AVE. **City:EVANSTON** State:IL ZIP:60202 Country:US Info Phone Num:312-869-7800 Emergency Phone Num:312-869-7800 CAGE:27368 === Contractor Identification === Company Name: D.F.GOLDSMITH CHEMICAL & METAL CORP. Address:909 PITNER AVE. Box:City:EVANSTON State:IL ZIP:60202 Country:US Phone:312-869-7800 CAGE:27368 Company Name: INLAND PACKAGING INC Address:209 PETERSON DR Box:644 City:ELIZABETHTOWN State:KY ZIP:42701-9804 Country:US Phone:502-737-6757 CAGE:66172

Ingred Name:MERCURY

(SARA III) CAS:7439-97-6 RTECS #:OV4550000 Fraction by Wt: 100% OSHA PEL:S, C, 0.1 MG/M3 ACGIH TLV:S, 0.05 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: SKIN:IRRITATION. ABSORBED THROUGH SKIN CAUSING ANURIA. EYE: IRRITATION, CORNEAL INJURY OR BURNS, INGESTION: IMMEDIATE N ECROSIS IN MOUTH, THROAT, ESOPHAGUS & STOMACH. DEATH MAY OCCURE. INHALATION :DYSPNEA, COUGH, FEVER, NAUSEA & VOMITING, DIARRHEA, STOMATITIS, SALIVATION & METALLIC TASTE. CHRONIC: CNS DISTURBANCES. Explanation of Carcinogenicity: MERCURY IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure: TREMORS, CONVULSIONS & OTHER CNS DISTURBANCES, PNEUMONITIS, CHEST PAINS, DYSPNEA, COUGHING, STOMATITIS, GINGIVITIS AND LOOSENING OF TEETH, SALIVATION, LOSS OF MEMO RY, METALLIC TASTE, DIZZINESS, CLUMSI NESS, SLURRED SPEECH, DIARRHEA, PAIN & NUMBNESS IN EXTREMITIES, NEPHRITIS, ANXIETY, HEADACHE, WEIGHT LOSS, AND INSOMNIA. Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF ALCOHOLISM, CHRONIC KIDNEY DISEASE OR KNOWN ALLERGY TO MERCURY MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid:INHALATION:REMOVE TO FRESH AIR. IF NOT BREATHING GIVE

First Aid:INHALATION:REMOVE TO FRESH AIR. IF NOT BREATHING GIVE CPR/OXYGEN. GET M

EDICAL ATTENTION. EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REM OVE CONTAMINATED CLOTHING. WASH SKIN WITH PLENTY OF SOAP & WATER. INGESTION: GET IMMEDIATE MEDICAL ATTENTION.

GASTRIC LAVAGE WITH A 5% SOLUTION OF SODIUM FORMALDEHYDE SULFOXYLATE.

Flash Point:NONE

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire

Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST WHEN EXPOSED TO HEAT OF FIRE. USE WATER IN FLOODING AMOUNTS AS A FOG. AVOID BREATHING CORROSIVE AND POISONOUS VAPORS. KEEP UPWIND.

Spill Release Procedures:SMALL SPILL:PICK UP WITH V ACUUM EQUIPMENT SPECIFICALLY DESIGNED FOR MERCURY PICK UP OR USE MERCURY SPILL KIT.

LARGE SPILL:EVACUATE AND VENTILATE AREA. IF POSSIBLE, STOP LEAK. DIKE TO RETAIN. VACUUM UP FREE LIQUID. DO NOT TOUCH SPILLED MATERIAL.

Neutralizing Agent:NONE

Handling and Storage Precautions:STORE IN SEALED UNBREAKABLE
POLYETHYLENE CONTAINERS IN A COOL, DRY, WELL VENTILATED AREA AWAY
FROM HEAT. PROTECT CONTAINERS FROM
PHYSICAL DAMAGE.
Other Precautions:THIS CHEMICAL IS SUBJECT TO SARA SECTION 313
REPORTING. PROVIDE PREPLACEMENT AND PERIODIC MEDICAL EXAMS FOR
THOSE REGULARLY EXPOSED TO MERCURY, WITH EMPHASIS ON CNS, SKIN,

LUNGS, LIVER, KIDNEYS AND G. I. TRACT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INS TRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR DECISION LOGIC-PUBL ICATION NUMBER 87.108. Ventilation: PROVIDE SUFFICIENT GENERAL/LOCAL EXHAUST VENTILATION IN

PATTERN/VOLUME TO CONTROL INHALATION EXPOSURES BELOW OSHA'S PEL. Protective Gloves:RUBBER

Eye Protection: CHEMICAL SAFETY GOGGLES

Other Protective Equipment:SEPARATE WORK AND STREET CLOTHING. STORE WORK CLOTHING IN SPECIAL LOCKERS. SHOWER BEFORE CHANGING TO STREET CLOTHES.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTI

CES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health DO NOT GET ON SKIN, IN EYES OR ON CLOTHING. DO NOT BREATHE VAPORS.

HCC:T6 Boiling Pt:B.P. Text:675F,357C Melt/Freeze Pt:M.P/F.P Text:-38F,-39C Vapor Pres:0.0012 Vapor Density:7.0 Spec Gravity:13.6 Solubility in Water:INSOLUBLE Appearance and Odor:SILVER-WHITE,HEAVY MOBILE LIQUID METAL, NO ODOR Percent Volatiles by Volume:0

========= Stability and Rea

Stability Indicator/Materials to Avoid:YES
ACETYLINIC COMPOUNDS; AMMONIA; BORON; DIIODOPHOSPHIDE; ETHYLENE OXIDE; REACTIVE METALS; METHYL AZIDE; AND OXIDIZERS
Stability Condition to Avoid:DOES NOT IGNITE READILY. FLAMMABLE, POISONOUS GASES MAY ACCUMULATE IN TANKS & HOPPER CARS. MAY IGNITE COMBUSTIBLES.
Hazardous Decomposition Products:THERMAL DECOMPOSITION PRODUCTS INCLUDE TOXIC MERCURY VAPORS AND OXYGEN.

====== Disposal Considerat

Waste Disposal Methods:RETURN TO RECLAMATION CENTER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume r esponsibility for the suitability of this information to their particular situation.