

AEROSPACE LUBRICANTS,INC -- TRIBOLUBE-3 AND TRIBOLUBE-5 -- 9150-00-419-0628

=====
Product Identification
=====

Product ID:TRIBOLUBE-3 AND TRIBOLUBE-5
MSDS Date:01/01/1987
FSC:9150
NIIN:00-419-0628
MSDS Number: BDYKH
=== Responsible Party ===
Company Name:AEROSPACE LUBRICANTS,INC
Emergency Phone Num:614-291-3045
CAGE:66164
=== Contractor Identification ===
Company Name:AEROSPACE LUBRICANTS INC.
Add
ress:1600 GEORGESVILLE RD
Box:City:COLUMBUS
State:OH
ZIP:43228
Country:US
Phone:614-878-3600
CAGE:66164

=====
Composition/Information on Ingredients
=====

Ingred Name:SYNTHETIC GREASE
Fraction by Wt: >99%
ACGIH TLV:NOT SPECIFIED

=====
Hazards Identification
=====

Effects of Overexposure:MAY IRRITATE EYES AND SKIN ON PROLONGED SKIN CONTACT.

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:>450F/232C
Extinguishing Media:CO*2, DRY CHEMICAL, FOAM, WATER SPRAY.
Fire Fighting Procedures:AVOID BREATHING SMOKE.USE WATER TO COOL
CONTRS;USE SCBA.
Unusual Fire/Explosion Hazard:AVOID HEAT;FLAMES,CAN REACT WITH
OX

OXIDIZING AGENT.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE ABSORBENT MATERIAL OR WIPE UP;RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES.

===== Exposure Controls/Personal Protection =====

=

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT.

Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.

Supplemental Safety and Health

MSDS UNDATED

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>500F/260C

Spec Gravity:0.9

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in

Water:NEGLIGIBLE

Appearance and Odor:TAN COLOR GREASE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENT

Stability Condition to Avoid:HEAT AND OPEN FLAMES

Hazardous Decomposition Products:ON BURNING;CO AND CO*2.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided wit

h this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.