View NSN Online: https://aerobasegroup.ae/nsn/8030-01-033-1530

DOW CORNING CORP -- 93-118 CURING AGENT, PART A -- 8030-01-033-1530

============ Product Identification ==============

Product ID:93-118 CURING AGENT, PART A

MSDS Date:08/17/1990

FSC:8030

NIIN:01-033-1530

Kit Part:Y

MSDS Number: BGWSL === Responsible Party ===

Company Name: DOW CORNING CORP Address: 3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI ZIP:48640 Country:US

Info Phone Num:517-496-5900

Emergency Phone Num:517-496-5900

Preparer's Name: JACK L. SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name: DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI ZIP:48611 Country:US

Phone:517-496-4388

CAGE:71984

======= Composition/Information on Ingredients ========

Ingred Name: DIMETHYL, METHYL HYDROGEN SILOX

ANE COPOLYMER CAS:68037-59-2 Fraction by Wt: 11% Other REC Limits: NONE SPECIFIED Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE EFFECTS:DIRECT CONTACT WITH EYES MAY CAUSE TEMPORARY DISCOMFORT. CHRONIC EFFECTS:NONE KNOWN. Explanation of Carcinogenicity: NONE OF THE INGREDIENTS IN THIS PRODUCT IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN. Effects of Overexposure: EYES: MAY CAUSE TEMPORARY DISCOMFORT. SKIN: SEVERAL, PROLONGED EXPOSURE (HOURS) MAY CAUSE SLIGHT IRRITATION. INHALATION: NO IRRITATION TO NOSE OR THROAT EXPECT-ED. NO INJURY IS LIKELY FROM RELATIVELY SHORT EXPOSURE. ORAL: AMOUNTS TRANS-FERRED TO MOUTH BY FINGERS DURING NORMAL USE SHOULD NOT CAUSE INJURY. Medical Cond Aggravated by Exposure: MAY ENHANCE ALLERGIC CONDITIONS ON CERTAIN PEOPLE. ====== First Aid Measures _____ First Aid:EYES: FLUSH WITH WATER. SKIN: WIPE OFF AND FLUSH WITH INHALATION: NO PROBLEM. ORAL: NO PROBLEM: WATER. Flash Point Method:CC Flash Point:>212F,>100C Autoignition Temp: Autoignition Temp Text: UNKNON Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. ======== Accidental Release Measures ============ Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

============ Handling and Storage ===========================

Handling and Storage Precautions: STORE IN COOL, DRY, WELL

VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED. Other Precautions: PRODUCT EVOLVES MINUTE AMOUNTS OF HYDROGEN GAS. DO NOT REPACKAGE OR STORE IN UNVENTED CONTAINERS. AVOID EYE AND SKIN CONTACT, DO NOT BREATHE VAPORS. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED RESPIRATOR OR SCBA AS APPROPIATE FOR EXPOSURE OF CONC **ERNIF** EXPOSURE LEVELS ARE EXCEEDED. Ventilation: MECHANICAL (GENERAL) VENTILATION RECOMMENDED. Protective Gloves: NONE SPECIFIED BY MANUFACTURER. Eye Protection: SAFETY GLASSES, AS A MINIMUM Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health KEY1:N1. THIS IS PART A OF A 2-PART KIT FOR PART B, SEE PNI B, SAME NSN. CONTACT WITH WATER , SOME METALS, ACIDS OR BASES MAY LIBERATE FLAMMABLE, EXPLOSIVE HYDROGEN GAS.

======== Physical/Chemical Properties ==========

HCC:N1 Vapor Pres: