View NSN Online: https://aerobasegroup.ae/nsn/8010-00-067-5437 NATINAL AEROSOL PRODUCTS COMPANY -- ENAMEL FLAT BLACK 37038 AEROSOL 8010-00-067-5437 ============= Product Identification ================== Product ID:ENAMEL FLAT BLACK 37038 AEROSOL MSDS Date: 05/26/1988 FSC:8010 NIIN:00-067-5437 MSDS Number: BHFLL === Responsible Party === Company Name: NATINAL AEROSOL PRODUCTS COMPANY Address:2103 E. 14TH STREET City:LOS ANGELES State:CA ZIP:90021 Country:US **Emergency Phone Num:**(213) 627-2668 CAGE:JO968 === Contractor Identification === Company Name: NATINAL AEROSOL PRODUCTS COMPANY Address:2103 E. 14TH STREET City:LOS ANGELES State:CA ZIP:90021 Country:US CAGE:JO968 Company Name: NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC Address:2193 E 14TH STREET Box: City: LOS ANGELES State:CA ZIP:90021-2843

ZIP:90021-2843 Country:US CAGE:59986

======= Composition/Information on Ingredients ========

Ingred Name: VM &P NAPHTHA

CAS:8030-30-6 RTECS #:QI9450000 Fraction by Wt: 40%

I

ngred Name:ACETONE (SARA III) CAS:67-64-1 RTECS #:AL3150000 Fraction by Wt: 35% OSHA PEL:1000PPM ACGIH TLV:750PPM/1000STEL;9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
Ingred Name:ISOBUTANE CAS:75-28-5 Fraction by Wt: 25%
========== Hazards Identification ===========
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Effects of Overexposure:INHL:HEADACHE, NAUSEA, & DIZZINESS. SKIN:PROLONGED OR REPEATED CONTACT MAY CAUSEIRRITATION.
======================================
First Aid:INHL:MOVE TO FRESH AIR. SKIN:FLUSH W/LARG AMOUNTS OF WATER. REMOVE CONTAMINATED CLOTHING. EYE: FLUSH W/WATER FOR 15 MINS.
======================================
Flash Point Method:PMCC Flash Point:58F/14.44C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN BY FIREFIGHTERS Unusual Fire/Explosion Hazard:WATER SHOULD BE USED TO COOL CONTAINERS EXPOSED TO FIRE.
========= Accidental Release Measures =========
Spill Release Procedures:AVOID BREATHING VAPORS, EXTINGUISH IGNITION SOURCEIN IMMEDIATE AREA. AVOID CONTACT W/LIQUID
============ Handling and Storage =============
Handling and Storage Precautions:DONOT STORE AT ELEVATED TEMPERATURE Other Precautions:CLOSE CONTAINERS AFTER USE.
====== Exposure Controls/Personal Protection ========
Respiratory Pr

Ventilation:PROVIDE SUFFICIENT VENTILATION TO KEEP CONCENTRATION BELOW GIVEN TLV
Protective Gloves:REQUIRED PROLONGED/REPEATED CONTACT
Eye Protection:SOLVENT RESISTANT Other Protective Equipment:NORMAL PROTECTIVE CLOTHING Work Hygienic Practices:NONE LISTED Supplemental Safety and Health NK
======== Physical/Chemical Properties ==========
HCC:V3 Boiling Pt:B.P. Text:250-310 Vapor Density:>AIR Spec Gravity:.999 Evaporation
Rate & Reference:SLOWER THAN ETHER
Solubility in Water:SLIGHT Appearance and Odor:BLACK,MOBILE LIQUID CONTAINING VOLATILE SOLVENTS Percent Volatiles by Volume:76.13
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS, RUBBER SOFTENS Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF IN CLOSED CO

Waste Disposal Methods:DISPOSE OF IN CLOSED CO NTAINERS AWAY FROM IGNITIONSOURCES.

otection: ADEQUATE VENTILATION IS REQUIRED

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this

