View NSN Online: https://aerobasegroup.ae/nsn/7930-01-380-8442

Product ID:LIFT OFF N.A. MSDS Date:09/10/1992

FSC:7930

NIIN:01-380-8442

MSDS Number: BVGVR === Responsible Party ===

Company Name: AIRKEM PROFESSIONAL PRODUCTS DIV. OF ECOLAB INC.

Address: ECOLAB CENTER

City:ST. PAUL State:MN ZIP:55102 Country:US

Info Phone Num:800-247-5362

Emerge

ncy Phone Num:800-328-0026

CAGE:89044

=== Contractor Identification ===

Company Name: AIRKEM PROFESSIONAL PRODUCTS/DIV OF ECOLAB INC

Address:370 N WABASHA STREET

Box:City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Phone:800-328-0026

CAGE:89044

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM HYDROXIDE (CAUSTIC SODA)

CAS:1310-73-2

RTECS #:WB4900000 Fraction by Wt: 4%

Other REC Limits:2 MG/M3 CEILING ACGIH TLV:2 MG/M3 CEILING

EPA Rpt Qty:1000 LBS

DOT Rpt Qt

y:1000 LBS

Ingred Name: ETHANOLAMINE (MEA)

CAS:141-43-5

RTECS #:KJ5775000 Fraction by Wt: 13%

Other REC Limits: 7.5 MG/M3

ACGIH TLV:8 MG/M3

Ingred Name: GLYCOL ETHERS (THIS PRODUCT CONTAINS 7% GLYCOL ETHER)

CAS:122-99-6

RTECS #:KM0350000 Fraction by Wt: 7%

Other REC Limits: NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:SKIN/EYES: SEVERE CHEMICAL BURNS. EYE CONTACT

MAY CAUSE BLINDNESS. HARMFUL CONTACT MAY NOT CAUSE IMMEDIATE PAIN. IF EYE CONTACT, IMMEDIATE FLUSHING WITH VITAL. INGEST: HARMFUL/FATAL. MOUTH/THROAT/STOMA CH CHEMICAL BURNS. INHAL: DAMAGES AIRWAYS & LUNGS. EFFECTS CAN VARY FROM SLIGHT IRRITATION TO BRONCHITIS OR PNEUMONIA.

Effects of Overexposure:NOTE: USE SOLUTIONS MAY ALSO BE CORROSIVE Medical Cond Aggravated by Exposure:PEOPLE WITH ASTHMA OR OTHER LUNG PROBLEMS MAY BE MORE AFFECTED.

=====	=====	=====		====	First	AID ME	36
sures	=====	=====	====	====	====		

First Aid:EYE:IMMED FLUSH W/COOL RUNNING WATER.REMOVE CONTACT LENSES.CONTINUE FLUSH AT LEAST 15 MIN,HOLD EYELIDS OPEN.CALL DR IMMED.SKIN:IMMED FLUSHING W/COOL RUNNING WATER AT LEAST 15 MIN,REMOVING CONTAM CLOTH ES & SHOES.WASH CLOTHES BEFORE REUSE.INGEST:RINSE MOUTH IMMED,THEN DRINK 1-2 LRG GLASSES WATER/MILK.DON'T INDUCE VOMIT.NOTHING BY MOUTH TO UNCONSCIOUS.INHAL:MOVE TO FRESH AIR.CALL POISON CTR/DR IMMED.

====== Fire Fig

hting Measures ==========
Fire Fighting Procedures:PRODUCT DOES NOT SUPPORT COMBUSTION. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:DIKE OR DAM LARGE SPILLS. PUMP TO CONTAINERS OR SOAK UP ON INERT ABSORBENT. FLUSH RESIDUE TO SANITARY SEWER.
========== Handling and Storage ===========
Handling and Storage Precautions:KEEP FROM FREEZING. Other Precautions:KEEP OUT OF REA CH OF CHILDREN. AVOID CONTACT WITH USE SOLUTIONS. THESE MAY ALSO BE HAZARDOUS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:AVOID BREATHING MISTS OR VAPORS OF THIS PRODUCT. Protective Gloves:RUBBER GLOVES-PROTECTIVE CUFF/GAUNTLET Eye Protection:CHEMICAL SPLSH GOGGLES OR FACE SHIELD Supplemental Safety and Health
======================================
Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.0 pH:13.5 Solubil ity in Water:COMPLETE Appearance and Odor:CLEAR BLUE/GREEN LIQUID; CITRUS ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:DO NOT MIX WITH ANYTHING BUT WATER. KEEP FROM FREEZING.
======= Disposal Considerations ==========
Waste Disposal Methods:CONSULT STATE AND LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE. UNUSED PRODUCT AS A WASTE IS CORRO

SIVE (D002) BY RCRA CRITERIA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this informati on to their particular situation.