View NSN Online: https://aerobasegroup.ae/nsn/6850-01-353-4460

## CANON USA INC -- CANON TONER BLACK FOR CLC 200/300 -- 6850-01-353-4460

Product ID:CANON TONER BLACK FOR CLC 200/300

MSDS Date:12/01/1991

FSC:6850

NIIN:01-353-4460

MSDS Number: BVZQB === Responsible Party ===

Company Name: CANON USA INC Address: ONE CANON PLAZA

City:LAKE SUCCESS

State:NY ZIP:11042 Country:US

Info Phone Num:516-488-6700 Emergency Phone Num:800-424-93

00 (CHEMTREC) CAGE:1BA63

=== Contractor Identification === Company Name:CANON USA INC Address:ONE CANON PLAZA Box:City:LAKE SUCCESS

State:NY

ZIP:11042 Country:US

Phone:516-328-5600

CAGE:1BA63

======= Composition/Information on Ingredients ========

Ingred Name:BISPHENOL A PROPYLENE OXIDE FUMARATE

CAS:39382-25-7

Fraction by Wt: 85-95%

Other REC Limits: NONE RECOMMENDED

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

**OSH** 

A PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9394 Ingred Name: SALICYLIC ACID CHELATE CAS:72869-85-3 Fraction by Wt: 1-5% Other REC Limits: NONE RECOMMENDED LD50 LC50 Mixture:PEL: 0.5 MG/M3 CHROMIUM Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION: TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYES: NO SPECIFIC HAZARD IS K **NOWN TO** CANON, HOWEVER, ANY MATERIAL CONTACTING THE EYE MAY BE IRRITATING. SKIN: LOW HAZARD FOR INDUSTRIAL HANDLING. Explanation of Carcinogenicity: NOT CARCINOGENIC. Effects of Overexposure: NO DATA AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:INHALATION: REMOVE FROM EXPOSURE TO FRESH AIR. EYE: OPEN EYE AND FLUSH WITH PLENTY OF WAT ER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER, INGE ST: DRINK SEVERAL GLASSES OF WATER, CALL A PHYSICIAN. 

Extinguishing Media: CARBON DIOXIDE, WATER, DRY CHEMICAL.

Fire Fighting Procedures: NONE.

Unusual Fire/Explosion Hazard: THIS MATERIAL, LIKE MOST ORGANIC MATERIALS IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

====== Accident

ste Disposal Methods:THE WASTE TONER COULD BE CONSIDERED AS PLASTIC WASTE. FOR INCINERATION, PACKAGE TONER ADEQUATELY. DO NOT DISPERSE TONER INTO FIRE. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE &/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurat e and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.